

## Literature References Relative to Berlin Heart EXCOR® Pediatric Mechanical Circulatory Support

### 2017

Arnaoutakis G, Blitzer D, Fuller S et al. **Mechanical circulatory support as bridge to transplantation for the failing single ventricle.** *Ann Thorac Surg* 2017;103:193-197.

Beissel DJ, Birnbaum BF, Barnes AP et al. **Use of Mechanical Circulatory Support in Isolated Right Heart Failure: A Bridge to Transplantation.** *Ann Thorac Surg* 2017;104:e155-e156.

Beranger N, Veyrat-Durebex C, Pouard P et al. **BNP response during Berlin Heart support in child: a case report.** *Ann Biol Clin (Paris)* 2017;75:557-561.

Bryant R, Zafar F, Castleberry C, et al. **Transplant survival following Berlin Heart EXCOR support.** *ASAIO J* 2017;63:80-85.

Burki S and Adachi I. **Pediatric ventricular assist devices: current challenges and future prospects.** *Vasc Health Risk Manag* 2017;13:177-185.

Carlo WF, Villa CR, Lal AK and Morales DL. **Ventricular assist device use in single ventricle congenital heart disease.** *Pediatr Transplant* 2017. Epub ahead of print.

Davies R. **Identifying children appropriate for bridge-to-transplantation with the Berlin Heart EXCOR.** *J Heart Lung Transplant* 2017. Epub ahead of print.

De Rita F, Griselli M, Sandica E et al. **Closing the gap in paediatric ventricular assist device therapy with the Berlin Heart EXCOR 15-ml pump.** *Interact Cardiovasc Thorac Surg* 2017;24:768-771.

Dykes JC, Reinhartz O, Almond CS et al. **Alternative Strategy for Biventricular Assist Device in an Infant With Hypertrophic Cardiomyopathy.** *Ann Thorac Surg* 2017;104:e155-e156.

Iacobelli R, Di Molfetta A, Brancaccio G et al. **Acute and Long-Term Effects of Left Ventricular Assist Device Support on Right Ventricular Function in Children with Pediatric Pulsatile Ventricular Assist Devices.** *ASAIO J* 2017. Epub ahead of print.

Iyengar A, Hung ML, Asanad K et al. **Association Between Hematologic and Inflammatory Markers and 31 Thrombotic and Hemorrhagic Events in Berlin Heart Excor Patients.** *Pediatr Cardiol* 2017;38:770-777.

Jaquiss RD, Humpl T, Canter CE et al. **Postapproval Outcomes: The Berlin Heart EXCOR Pediatric in North America.** *ASAIO J* 2017;63:193-197.

Morales DL, Zafar F, Almond CS et al. **Berlin Heart EXCOR use in patients with congenital heart disease.** *J Heart Lung Transplant* 2017. Epub ahead of print.

Nassar MS, Hasan A, Chila T et al. **Comparison of paracorporeal and continuous flow ventricular assist devices in children; preliminary results.** *Eur J Cardiothorac Surg* 2017;51:709-714.

Ono M. **Ventricular assist device.** *Kyobu Geka* 2017;70:16-22. Japanese.

Poh CL, Chiletto R, Zannino D et al. **Ventricular assist device support in patients with single ventricles: the Melbourne experience.** *Interact Cardiovasc Thorac Surg* 2017. Epub ahead of print.

Rosenthal DN, Lancaster CA, McElhinney DB et al. **Impact of a modified anti-thrombotic guideline on stroke in children supported with a pediatric ventricular assist device.** *J Heart Lung Transplant* 2017. Epub ahead of print.

Schweiger M, Stiasny B, Immer F et al. **Cardiac transplantation in a neonate – First case in Switzerland and European overview.** *Clin Transplant* 2017;31.

Su JA and Mentzer J. **Outcomes of Berlin Heart EXCOR pediatric ventricular assist device support in patients with restrictive and hypertrophic cardiomyopathy.** *Pediatr Transplant* 2017. Epub ahead of print.

VanderPluym J, Robertson C, Joffe A, et al. **Neurologic, neurocognitive, and functional outcomes in children under 6 years treated with the Berlin Heart EXCOR ventricular assist device.** *ASAIO J* 2017;63:207-215.

Weymann A, Farag M, Sabashnikov A et al. **Central Extracorporeal Life Support With Left Ventricular Decompression to Berlin Heart Excor: A Reliable "Bridge to Bridge" Strategy in Crash and Burn Patients.** *Artif Organs* 2017;41:519-528.

## **2016**

Conway J, VanderPluym C, Jeewa A, Sinnadurai S, Schubert A, Lorts A. **Now how do we get them home? Outpatient care of pediatric patients on mechanical circulatory support.** *Pediatr Transplant* 2016;20:194-202.

Di Molfetta A, Filippelli S, Ferrari G, Secinaro A, Zielinski K, Amodeo A. **Berlin Heart EXCOR ventricular assist device: multilayer membrane rupture in a pediatric patient.** *Ann Thorac Surg* 2016;102:e129-130.

Di Molfetta A, Ganolfo F, Filippelli S et al. **The Use of Berlin Heart EXCOR VAD in Children Less than 10 kg: A Single Center Experience.** *Front Physiol* 2016;7:614.

Fukushima N. **Current Status and Future Aspects of Heart Transplantation in Japan.** *Kyobu Geka* 2016;1:65-75. Japanese.

Gossai N, Brown NM, Ameduri R, Zantek N, Louis J, Steiner M. **Pediatric acquired von Willebrand Disease with Berlin Heart EXCOR ventricular assist device support.** *World J Pediatr Congenit Heart Surg* 2016;7:614-618.

Hertzog J, Pearson T, Priest M, Spurrier E, Davies R. **Emergent interhospital transport of pediatric patient with a Berlin Heart device.** *Air Med J* 2016;35:314-316.

Hetzer R, Kaufmann F, Delmo Walter EM. **Paediatric mechanical circulatory support with Berlin Heart EXCOR: development and outcome of a 23-year experience.** *Eur J Cardiothorac Surg* 2016;50:203-210.

Jaquiss, RD. **Ventricular Assistant in Restrictive Cardiomyopathy: Making the right connection.** *J Thorac Cardiovasc Surg* 2016;151:e15-16.

Jones MB, Ramakrishnan K, Alfares FA et al. **Acquired von Willebrand Syndrome: An Under-Recognized Cause of Major Bleeding in the Cardiac Intensive Care Unit.** *World J Pediatr Congenit Heart Surg* 2016;7:711-716.

Kakuta T, Hoashi T, Sakaguchi H, et al. **Early single institutional experience of Berlin Heart EXCOR pediatric ventricular assist device in Japan.** *Circ J* 2016;80:2552-2554.

Neibler RA, Shah TK, Mitchell ME, et al. **Ventricular assist device in single-ventricle heart disease and a superior cavopulmonary anastomosis.** *Artif Organs* 2016;40:180-184.

Nelson-McMillan K, Ravekes W, Thompson W, et al. **Membrane oxygenator use with biventricular assist device: facilitation of support and lung recovery.** *World J Pediatr Congenit Heart Surg* 2016; epub ahead of print.

Sandica E, Blanz U, Mime L, et al. **Long-term mechanical circulatory support in pediatric patients.** *Artif Organs* 2016;40:225-232.

Shi W, Marasco S, Saxena P, et al. **Outcomes of ventricular assist device implantation in children and young adults: the Melbourne experience.** *ANZ J Surg* 2016;86:996-1001.

Sousa Casanovas I, Diez Villanueva P, Diez Del Hoyo F, et al. **Two different sites of membrane rupture in the Berlin Heart EXCOR ventricular assist device.** *Rev Esp Cardiol (Engl Ed)* 2016;69:525-527.

Steiner M, Bomgaars L, Massicotte M, Berlin Heart EXCOR Pediatric VAD IDE study investigators. **Antithrombotic therapy in a prospective trial of a pediatric ventricular assist device.** *ASAIO J* 2016;62:719-727.

Tunuguntla H, Denfield SW, McKenzie ED, Adachi I. **Mitral valve replacement for inflow obstruction of left ventricular assist device in a child with restrictive cardiomyopathy.** *J Thorac Cardiovasc Surg* 2016;151:e11-13.

Urbanska E, Pawlak S, Grzybowski A, et al. **Temporary left ventricular assistance for extreme postoperative heart failure in two infants with Bland-White-Garland syndrome.** *Kardiochir Torakochirurgia Pol* 2016;13:269-272.

Werkkala K, Jokinen J, Soininen L, et al. **Clinical durability of the CARMEDA® BioActive Surface in EXCOR® VAD pumps.** *ASAIO J* 2016;62:139-142.

## **2015**

Adachi I, Burki S, Zafar F, Morales DL. **Pediatric ventricular assist devices.** *J Thorac Dis* 2015;7:2194-2202.

Byrnes JW, Bhutta AT, Rettiganti MR, et al. **Steroid therapy attenuates acute phase reactant response among children on ventricular assist device support.** *Ann Thorac Surg* 2015;99:1392-1398.

De Rita F, Hasan A, Haynes S, et al. **Outcome of mechanical cardiac support in children using more than one modality as a bridge to heart transplantation.** *Eur J Cardiothorac Surg* 2015;48:917-922.

Erdoes G, Kadner A, Hutter D, Eberle B. **Transcranial Doppler-guided deairing of a pediatric ventricular assist device: experience with twins.** *A A Case Report* 2015;4:5-7.

Fujii Y, Ferro G, Kagawa H, et al. **Is continuous flow superior to pulsatile flow in single ventricle mechanical support? Results from a large animal pilot study.** *ASAIO J* 2015;61:443-447.

Halaweish I, Ohye R, Si M. **Berlin Heart ventricular assist device as a long-term bridge to transplantation in a Fontan patient with failing single ventricle.** *Pediatr Transplant* 2015;19:E193-195.

Hoganson DM, Boston US, Gazit AZ, Canter CE, Eghtesady P. **Successful bridge through transplantation with berlin heart ventricular assist device in a child with failing Fontan.** *Ann Thorac Surg* 2015;99:707-709.

Horne D, Conway J, Rebeyka IM, Buchholz H. **Mechanical circulatory support in univentricular hearts: current management.** *Semin Thorac Cardiovasc Surg Pediatr Annu* 2015;18:17-24.

Jordan L, Ichord R, Reinhartz O, et al. **Neurological complications and outcomes in the Berlin Heart EXCOR Pediatric Investigational Device Exemption trial.** *J Am Heart Assoc* 2015;4:e001429.

Kirklin J. **Advances in mechanical assist devices and artificial hearts for children.** *Curr Opin Pediatr* 2015;27:597-603.

Mascio CE. **The use of ventricular assist device support in children: the state of the art.** *Artif Organs* 2015;39:14-20.

Miller JR, Lancaster TS, Eghtesady P. **Current approaches to device implantation in pediatric and congenital heart disease patients.** *Expert Rev Cardiovasc Ther* 2015;13:417-427.

Zafar F, Jefferies JL, Tjossem CJ, et al. **Biventricular Berlin Heart EXCOR Pediatric Use Across the United States.** *Ann Thorac Surg* 2015;99:1328-1334.

## **2014**

Byrnes J, Frazier E, Tang X, et al. **Hemorrhage requiring surgical intervention among children on pulsatile ventricular assist device support.** *Ped Transplant* 2014;18:385-392.

Conway J, St Louis J, Morales DL, Law S, Tjossem C, Humpl T. **Delineating survival outcomes in children <10 kg bridged to transplant or recovery with the Berlin Heart EXCOR ventricular assist device.** *JACC Heart Fail* 2014;3:70-77.

Costello JP, Diab YA, Philippe-Auguste M, Jones MB, Shankar V, Friedman KD, Nath DS. **Acquired von Willebrand syndrome in a child following Berlin Heart EXCOR Pediatric ventricular assist device implantation: case report and concise literature review.** *World J Pediatr Congenit Heart Surg.* 2014;5:592-598.

Davies R, Haldeman S, McCulloch M, Pizarro C. **Ventricular assist devices as a bridge-to-transplant improve early post-transplant outcomes in children.** *J Heart Lung Transplant* 2014;33:704-712.

Hetzer R, Miera O, Photiadis J, Hennig E, Knosalla C, Delmo Walter EM. **Heart transplantation after longest-term support with ventricular assist devices.** *Ann Thorac Surg.* 2014;98:1814-1815.

Hollander S, Hollander A, Rizzuto S, Reinhartz O, Maeda K, Rosenthal D. **An inpatient rehabilitation program utilizing standardized care pathways after paracorporeal ventricular assist device placement in children.** *J Heart Lung Transplant* 2014;33:587-592.

Irving C, Crossland D, Hyanes S, Griselli M, Hasan A, Kirk R. **Evolving experience with explantation from Berlin Heart EXCOR ventricular assist device support in children (letter).** *J Heart Lung Transplant* 2014;33:211-213.

Kirklin J, Bennett Pearce F, Dabal R, Carlo W. **Mechanical circulatory support: strategies and outcomes in pediatric congenital heart disease.** *Seminars in Thorac Cardiovasc Surg: Ped Cardiac Surg Ann* 2014;17:62-68.

Lal A, Chen S, Maeda K, et al. **Successful bridge to transplant with a continuous flow ventricular assist device in a single ventricle patient with an aortopulmonary shunt.** *ASAIO J* 2014;60:119-121.

Lorts A, Zafar F, Adachi I, Morales D. **Mechanical assist devices in neonates and infants.** *Sem Thorac Cardiovasc Surg: Ped Cardiac Surg Ann* 2014;17:91-95.

Miera O, Schmitt K, Delmo-Walter E, Ovroutski S, Hetzer R, Berger F. **Pump size of Berlin Heart EXCOR pediatric device influences clinical outcome in children.** *J Heart Lung Transplant* 2014;33:816-821.

Niebler R, Lew S, Zangwill S, et al. **Incidence and outcome of pediatric patients with intracranial hemorrhage while supported on ventricular assist devices.** *Artif Organs* 2014;38:73-78.

O'Connor M, Rossano J. **Ventricular assist devices in children.** *Current Opinion in Cardiology* 2014;29:113-121.

Sanders D, Sowell S, Park S, et al. **The failing Fontan: What's NEXT...?** *Perfusion (UK)* 2014;29:89-93.

Seitz S, Buchholz H, Rebeyka I, Ross D, West L, Urschel S. **Mechanical ventricular assist device as a bridge to recovery post-ABO-incompatible heart transplantation for failed Fontan circulation.** *Transpl Int.* 2014;27:e54-57.

Sundararajan S, Thiruchelvam T, Hsia T, Karimova A. **New 15-mL ventricular assist device in children with restrictive physiology of the left ventricle.** *J Thoracic Cardiovasc Surg* 2014;147:e79-e80.

Thomas TO, Chandrakasan S, O'Brien M, Jefferies JL, Ryan TD, Wilmot I, Baker ML, Madueme PC, Morales D, Lorts A. **The use of a Berlin Heart EXCOR LVAD in a child receiving chemotherapy for Castleman's disease.** *Pediatr Transplant.* 2014;19:E15-E18.

Valeske K, Yerebakan C, Mueller M, Akintuerk H. **Urgent implantation of the Berlin Heart EXCOR biventricular assist device as a total artificial heart in a patient with single ventricle circulation.** *J Thorac Cardiovasc Surg* 2014;147:1712-1714.

Weinstein S, Bello R, Pizarro C, et al. **The use of the Berlin Heart EXCOR in patients with functional single ventricle.** *J Thorac Cardiovasc Surg.* 2014;147:697-704.

## **2013**

Adachi I, Fraser CD. **Berlin Heart EXCOR Food and Drug Administration Investigational Device Exemption Trial.** *Semin Thorac Cardiovasc Surg.* 2013;25(2):100-106.

Almond CD, Morales DL, Blackstone EH, et al. **Berlin heart EXCOR pediatric ventricular assist device for bridge to heart transplantation in US children.** *Circulation.* 2013;127(16):1702-1711.

Annich G, Adachi I. **Anticoagulation for pediatric mechanical circulatory support.** *Pediatr Crit Care Med.* 2013;14(5 SUPPL):S37-S42.

Bronicki RA, Checchia PA. **Advances in Pediatric Cardiac Intensive Care.** *Pediatr Clin North Am.* 2013;60(3):655-667.

Byrnes JW, Prodhan P, Williams BA, et al. **Incremental reduction in the incidence of stroke in children supported with the Berlin EXCOR Ventricular Assist Devce.** *Ann Thorac Surg.* 2013;96:1727-1733.

Carpenter BA, Gonzalez CJ, Jessen SL, et al. **A brief review of ventricular assist devices and a recommended protocol for pathology evaluations.** *Cardiovasc Pathol.* 2013;22(5):408-415.

Cooper DS, Pretre R. **Clinical management of pediatric ventricular assist devices.** *Pediatr Crit Care Med.* 2013;14(5 SUPPL):S27-S36.

Dedieu N, Giardini A, Steward C, et al. **Successful mechanical circulatory support for 251 days in a child with intermittent severe neutropenia due to Barth syndrome.** *Pediatr Transplantation* 2013;17:E46-E49.

Dhillon SS, Khoo NS, Quinonez L, Buchholz H. **Spontaneous endogenous microbubbles in a child with berlin heart ventricular assist device.** *ASAIO J.* 2013;59(2):181-182.

Eghtesady P, Almond CSD, Tjossem C, et al. **Post-transplant outcomes of children bridged to transplant with the berlin heart EXCOR pediatric ventricular assist device.** *Circulation.* 2013;128(SUPPL.1):S24-S31.

Fraser CD, Jaquiss RDB. **The berlin heart EXCOR pediatric ventricular assist device: History, north american experience, and future directions.** *Ann N Y Acad Sci.* 2013;1291(1):96-105.

George CLS, Ameduri RK, Reed RC, Dummer KB, Overman DM, St. Louis JD. **Long-term use of ventricular assist device as a bridge to recovery in acute fulminant myocarditis.** *Ann Thorac Surg.* 2013;95(3):e59-e60.

Hansen G, Conradi A, Lequier L, et al. **Safety of berlin heart EXCOR pump changes in the PICU.** *Pediatr Crit Care Med.* 2013;14(1):50-54.

Milano CA, Simeone AA. **Mechanical circulatory support: Devices, outcomes and complications.** *Heart Fail Revs.* 2013;18(1):35-53.

Moazami N, Fukamachi K, Kobayashi M, et al. **Axial and centrifugal continuous-flow rotary pumps: a translation from pump mechanics to clinical practice.** *J Heart Lung Transplant* 2013;32:1-11.

O'Connor MJ, Harville TO, Rhodes-Clark B, et al. **Quantification, identification, and relevance of anti-human leukocyte antigen antibodies formed in association with the berlin heart ventricular assist device in children.** *Transplantation.* 2013;95(12):1542-1547.

Orr Y, Jeewa A, McGarry C, et al. **Upsizing of a Berlin Heart EXCOR pediatric left ventricular assist device to achieve adequate flow requirement.** *J Heart Lung Transplant.* 2013;32(8):845-846.

Permut LC, McMullan DM, Soriano BD. **Long-term mechanical cardiac assist in children: A work in progress.** *J Am Soc Echocardiogr.* 2013;26(1):50-51.

Polito A, Netto R, Soldati M, et al. **Neurological complications during pulsatile ventricular assistance with the berlin heart EXCOR in children: incidence and risk factors.** *Artif Organs* 2013;37:851-856.

Prodhan P, Bhutta AT, Gossett JM, et al. **Comparative effects of ventricular assist device and extracorporeal membrane oxygenation on renal function in pediatric heart failure.** *Ann Thor Surg.* 2013;

Rutledge JM, Chakravarti S, Massicotte MP, Buchholz H, Ross DB, Joashi U. **Antithrombotic strategies in children receiving long-term Berlin Heart EXCOR ventricular assist device therapy.** *J Heart Lung Transplant.* 2013;32(5):569-573.

Sachdeva R, Frazier EA, Jaquiss RDB, et al. **Echocardiographic evaluation of ventricular assist devices in pediatric patients.** *J Am Soc Echocardiogr.* 2013;26(1):41-49.

Schwartz SM, Schmidt A. **Medical and nursing care of the child on mechanical circulatory support.** *Pediatr Crit Care Med.* 2013;14(5 SUPPL):S27-S36.

Siehr SL, Bernstein D, Yeh J, et al. **Orthotopic heart transplantation in two infants with histiocytoid cardiomyopathy and left ventricular non-compaction.** *Pediatr Transplant.* 2013;17(7):E165-E167.

Stein ML, Bruno JL, Konopack KL, et al. **Cognitive outcomes in pediatric heart transplant recipients bridged to transplantation with ventricular assist devices.** 2013 *J Heart Lung Transplant* 32;212-220.

Stiller B, Adachi I, Fraser CD. **Pediatric Ventricular Assist Devices.** *Pediatr Crit Care Med.* 2013;14(5 SUPPL):S20-S26.

Woolley JR, Dady S, Spinnato J, et al. **First berlin heart EXCOR pediatric VAD interhospital transports of nonambulatory patients with the Ikus stationary driver.** *ASAIO J.* 2013;59(5):537-541.

Zaccagni HJ, Timpa JG, O'Meara LC, Alten JA. **Long-term membrane oxygenator use to support an infant with acute respiratory distress syndrome on biventricular assist device.** *Interact Cardiovasc Thorac Surg.* 2013;17(1):196-198.

## **2012**

Addonizio, L : **Pediatric ventricular assist devices – first steps for babies.** *N Engl J Med* 2012;367:567-568.

Aggarwal A: **Are blood stream infections associated with an increased risk of hemorrhagic stroke in patients with a left ventricular assist device?** *ASAIO J* 2012;58:509-513.

Botha P, et al: **Modified technique for the implantation of Berlin Heart Excor ventricular assist device in children.** *World J Ped Cong Heart Surg* 2012;3:373-376.

Chen JM, et al: **A decade of pediatric mechanical circulatory support before and after cardiac transplantation.** *J Thorac Cardiovasc Surg* 2012;143:344-351.

Elias ER, et al: **Home care of children and youth with complex health care needs and technology dependencies.** *Pediatrics* 2012;129:996-1005.

Fraser CD, et al: **Prospective trial of a pediatric ventricular assist device.** *N Engl J Med* 2012;367:532-541.

Haneya A, et al: **Ventricular assist device implantation in patients on percutaneous extracorporeal life support without switching to conventional cardiopulmonary bypass system.** *Eur J Cardio Thorac Surg* 2012;41:1366-1370.

- Hanke S, et al: **Left ventricular noncompaction cardiomyopathy in Barth Syndrome: an example of an undulating cardiac phenotype necessitating mechanical circulatory support as a bridge to transplantation.** *Pediatr Cardiol* 2012;33:1430-1434.
- Kato T, et al: **Pre-operative and post-operative risk factors associated with neurologic complications in patients with advanced heart failure supported by a left ventricular assist device.** *J Heart Lung Transplant* 2012;31:1-8.
- Kirklin JK, et al: **Cardiac transplantation and mechanical support for functional single ventricle.** *World J Ped Cong Heart Surg* 2012;3:183-193.
- Kirklin JK, et al: **The Fourth INTERMACS annual report: 4,000 implants and counting.** *J Heart Lung Transplant* 2012;31:117-126.
- Kirklin JK, et al: **Implantation of the HeartWare HVAD in a child after a recent thromboembolic stroke.** *Ann Thorac Surg* 2012;93:977-978.
- Kovach JR, et al: **Comparison of risk factors and outcomes for pediatric patients listed for heart transplantation after bidirectional Glenn and after Fontan: an analysis from the Pediatric Heart Transplant Study.** *J Heart Lung Transplant* 2012;31:133-139.
- Monagle P, et al: **Antithrombotic therapy in neonates and children – antithrombotic therapy and prevention of thrombosis 9<sup>th</sup> ed: American College of Chest Physicians Evidence-based Clinical Practice Guidelines.** *Chest* 2012;141:Suppl e737S-e801S.
- Ranucci M, et al: **Preoperative antithrombin supplementation in cardiac surgery: a randomized controlled trial.** *J Thorac Cardiovasc Surg* 2012;12:1215-1219.
- Sharma V, et al: **Driveline infections in left ventricular assist devices: implications for destination therapy.** *Ann Thorac Surg* 2012; in press.
- Sharma V, et al: **Ventricular assist device support in children and adolescents with heart failure: The Children’s Medical Center of Dallas experience.** *Art Organ* 2012;36:635-648.
- Teuteberg JJ, et al: **Risk assessment for continuous flow left ventricular assist devices: does the destination therapy risk score work?: an analysis of over 1,000 patients.** *J Am Coll Cardiol* 2012;60:44-51.
- Tweddell JS, et al: **Intermediate-term mortality and cardiac transplantation in infants with single-ventricle lesions: Risk factors and their interaction with shunt type.** *J Thorac Cardiovasc Surg* 2012;144:152-159.
- Wang Y, et al: **Decision tree for adjuvant right ventricular support in patients receiving a left ventricular assist device.** *J Heart Lung Transplant* 2012;31:140-149.
- Wray J, et al: **Perceived quality of life of children after successful bridging to heart transplantation.** *J Heart Lung Transplant* 2012;31:381-386.

Yu X, et al: **The profile of the systemic inflammatory response in children undergoing ventricular assist device support.** *Interact Cardiovasc Thorac Surg* 2012;15:426-431.

## **2011**

Bahrainwala Z, et al.: **Intraoperative Hemoglobin Levels and Transfusion Independently Predict Stroke After Cardiac Operations.** *Ann Thorac Surg* 2011;91:1113-9.

Baldwin T, Borovetz H, Duncan B, Gartner M, Jarvik R, Weiss W.: **The National Heart, Lung and Blood Institute Pediatric Circulatory Support Program: A Summary of the 5-Year Experience.** *Circulation* 2011;123:1233-1240.

Beitzke D, Wieselthaler G, Schima H, Loewe C.: **Pulmonary embolism in a patient with biventricular assist device – imaging with multislice computed tomography.** *Eur J Cardiothorac Surg* 2011;39:415-

Bogaev R, et al.: **Comparison of outcomes in women versus men using a continuous-flow left ventricular assist device as a bridge to transplantation.** *J Heart Lung Transplant* 2011;30:515-22.

Boyle A, et al.: **Clinical outcomes for continuous-flow left ventricular assist device patients stratified by pre-operative INTERMACS classification.** *J Heart Lung Transplant* 2011;30:402-7.

Bryant R, Steiner M, St. Louis J.: **Current Use of the EXCOR Pediatric Ventricular Assist Device.** *J of Cardiovasc Trans Res* 2011;3:612-617.

Cassidy J, et al.: **Abstract Mechanical Circulatory Support(MCS) as a Bridge to Transplantation in Children with Univentricular Physiology: What Have We Learned?.** *J Heart Lung Transplantation* 2011;30(4S):329

Chen Y, Sharp K.: **A Strain-Based Flow-Induced Hemolysis Prediction Model Calibrated by In Vitro Erythrocyte Deformation Measurements.** *Artificial Organs* 2011;35(2):145-156.

Cheung A, et al.: **Off-Pump Implantation of the HeartWare HVAD Left Ventricular Assist Device Through Minimally Invasive Incisions.** *Ann Thorac Surg* 2011;91:1294-6.

Davies RR, et al: **The Fontan procedure: Evolution in technique; attendant imperfections and transplantation for “failure”.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2011;14:155-166.

Dobbels F, Hilde B, Bart M.: **To “pump up” quality of life and exercise performance studies in patients with left ventricular assist devices.** *J Heart Lung Transplant* 2011;30:141-143.

Drews T, Dandel M, Krabatsch T, Potapov E, Stepanenko A, Henning E, Lehmkuhl H, Pasic M, Weng Y, Hetzer R. **Long-Term Mechanical Circulatory Support in 198 Patients: Largest Single-Center Experience Worldwide.** *ASAIO Journal* 2011;57:9-16.

Everitt M, et al.: **Would access to device therapies improve transplant outcomes for adults with congenital heart disease? Analysis of the United Network for Organ Sharing (UNOS).** *J Heart Lung Transplantation* 2011;30:395-401.

Fan Y: **Predictors of in-hospital mortality in children after long-term ventricular assist device insertion.** *J Am Coll Cardiol* 2011;58:1183-1190.

Gandhi R, Almond C, Singh T, Gauvreau K, Piercey G, Thiagarajan R.: **Factors associated with in-hospital mortality in infants undergoing heart transplantation in the United States.** *J Thorac Cardiovasc Surg* 2011; 141:531-536.

Garcia-Rodriguez L, Lin K, Hernandez-Diaz S, Johansson S.: **Risk of Upper Gastrointestinal Bleeding With Low-Dose Acetylsalicylic Acid Alone and in Combination With Clopidogrel and Other Medications.** *Circulation* 2011;123:1108-1115.

Goda A, et al.: **Aortic Valve Procedures at the Time of Ventricular Assist Device Placement.** *Ann Thorac Surg* 2011;91:750-4.

Gregoric I, Cohn W, Frazier O.: **Diaphragmatic implantation of the HeartWare ventricular assist device.** *J Heart Lung Transplantation* 2011;30:467-70.

Hannan M, et al.: **Working formulation for the standardization of the definitions of infections in patients using ventricular assist devices.** *J Heart Lung Transplantation* 2011;30:375-84.

Heilmann C, et al.: **Supportive psychotherapy for patients with heart transplantation or ventricular assist devices.** *Eur J Cardiothorac Surg* 2011;39:e44-e50.

Huebler M, et al.: **Pediatric heart transplantation: 23-year single-center experience.** *Eur J Cardiothorac Surg* 2011;39:e83-e89.

Jaquiss R, Imamura M.: **Implantation of a Berlin Heart Assist Device.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2011;14:120-125.

John R, et al.: **Outcomes of a multicenter trial of the Levitronix CentriMag ventricular assist system for short-term circulatory support.** *J Thorac Cardiovasc Surg* 2011;141:932-9.

Johnson C, Vandenberghe S, Daly A, Woolley J, Snyder S, Verkaik J, Ye S, Borovetz H, Antaki J, Wearden P, Kameneva M, Wagner W.: **Biocompatibility Assessment of the First Generation PediaFlow Pediatric Ventricular Assist Device.** *Artificial Organs* 2011;35(1):9-21.

Kar B, Gregoric I, Basra S, Idelchik G, Loyalka P.: **The Percutaneous Ventricular Assist Device in Severe Refractory Cardiogenic Shock.** *J Am Coll Cardiol* 2011;57:688-696.

Karimova A, et al.: Abstract **Right Heart Failure in Children Bridged to Transplantation with Ventricular Assist Devices: Is It a Problem?** *J Heart Lung Transplantation* 2011;30(4S):328.

Karimova A, et al.: **Mechanical bridging to orthotopic heart transplantation in children weighing less than 10 kg: feasibility and limitations.** *Eur J Cardiothorac Surg* 2010, doi:10.1016/j.ejcts.2010.05.015.

Kirk R, et al: **The Registry of the International Society for Heart and Lung Transplantation: Fourteenth pediatric heart transplantation report – 2011.** *J Heart Lung Transplant* 2011;30:1095-1103.

Kirklin J, et. al.: **Third INTERMACS Annual Report: The evolution of destination therapy in the United States.** *J Heart Lung Transplantation* 2011;30:115-23.

Krabatsch T, et al.: **Evaluation of the HeartWare HVAD Centrifugal Pump for Right Ventricular Assistance in an *In Vitro* Model.** *ASAIO Journal* 2011;57:000-000.

Kugler C, et al.: **Health-related quality of life and exercise tolerance in recipients of heart transplants and left ventricular assist devices: A prospective, comparative study.** *J Heart Lung Transplant* 2011;30:204-10.

Kukucka M, et al.: **Acute impact of left ventricular unloading by left ventricular assist device on the right ventricle geometry and function: Effect of nitric oxide inhalation.** *J Thorac Cardiovasc Surg* 2011;141:1009-14.

Lu Q, Malinauskas R.: **Comparison of Two Platelet Activation Markers Using Flow Cytometry After *In Vitro* Shear Stress Exposure of Whole Human Blood.** *Artificial Organs* 2011;35(2):137-144.

McMullan D, et al.: **Minimizing bleeding associated with mechanical circulator support following pediatric heart surgery.** *Eur J Cardiothorac Surg* 2010, doi:10.1016/j.ejcts.2010.7.027.

Meyns B, et al.: **Clinical benefits of partial circulatory support in New York Heart Association Class IIIB and Early Class IV patients.** *Eur J Cardiothorac Surg* 2011;39:693-698.

Miera O, et al.: **First Experiences With the HeartWare Ventricular Assist System in Children.** *Ann Thorac Surg* 2011;91:1256-60.

Mokadam N, Andrus S, Ungerleider A.: **Thrombus formation in a HeartMate II.** *Eur J Cardiothorac Surg* 2011;39:414-

Morales D, et al.: **Bridging children of all sizes to cardiac transplantation: The initial multicenter North American experience with the Berlin Heart EXCOR ventricular assist device.** *J Heart Lung Transplant* 2011;30:1-8.

Nakajima I: **Pre- and post-operative risk factors associated with cerebrovascular accidents in patients supported by left ventricular assist device.** 2011 75;1138-1146.

Nguyen K.: **A technique for implanting outflow cannula for Berlin Heart EXCOR ventricular assist device in small pediatric patients.** *J Thorac Cardiovasc surg* 2011;?:1-2.

Pauwaa S, Raghuvir R, Kurien S, Tatoes A, Pappas P, Bhat G. **Intermittent Aortic Insufficiency as an Aid to Diagnosing Obstruction in a HeartMate II Continuous-Flow Left Ventricular Assist Device.** *ASAIO Journal* 2011;57:244-246.

Potapov E, Huebler M, Morawietz L, Hetzer R.: **Connective tissue overgrowth on a titanium plug inserted to facilitate left ventricular assist device explantation.** *J Heart Lung Transplantation* 2011;30:235-6.

Potapov E, Krabatsch T, Ventura H, Hetzer R.: **Advances in mechanical circulatory support: Year in review.** *J Heart Lung Transplantation* 2011;30(5):487-493.

Prasad A, Herrmann J.: **Myocardial Infarction Due to Percutaneous Coronary Intervention.** *N Engl J Med* 2011;364:453-64.

Romans T, Stulak J, Cowger J, Haft J, Romano M, Aaronson K, Pagani F.: **Does Delayed Sternal Closure Late Infection Risk in Patients Undergoing Left Ventricular Assist Device Implantation?** *J Heart Lung Transplantation* 2011;30(4S):116.

Salamonsen R, Mason D, Ayre P.: **Response of Rotary Blood Pumps to Changes in Preload and Afterload at a Fixed Speed Setting Are Unphysiological When Compared With the Natural Heart.** *Artificial Organs* 2011;35(3):E47-E53.

Saito S, et al.: **Biventricular support using implantable continuous-flow ventricular assist devices.** *J Heart Lung Transplantation* 2011;30:475-8.

Schaffer J, et al.: **Infectious complications after pulsatile-flow and continuous-flow left ventricular assist device implantation.** *J Heart Lung Transplantation* 2011;30:164-74.

Schaffer J, et al.: **Bleeding Complications and Blood Product Utilization With Left Ventricular Assist Device Implantation.** *Ann Thorac Surg* 2011;91:740-9.

Shah K, Parameshwar J.: **Advances in heart transplantation: The year in review.** *J Heart Lung Transplantation* 2011;30:241-6.

Sirois E, Sun W.: **Computational Evaluation of Platelet Activation Induced by a Bioprosthetic Heart Valve.** *Artificial Organs* 2011;35(2):157-165.

Stepanenko A, Potapov E, Krabatsch T, Hetzer R.: **Simple Implantation of a temporary Right Ventricular Device for Right Ventricular Failure After Left Ventricular Device Implantation via a Left Lateral Thoracotomy.** *ASAIO Journal* 2011;57:17-18.

Strueber M, O'Driscoll G, Jansz P, Khaghani A, Levy W, Weiselthaler G.: **Multicenter Evaluation of an Intrapericardial Left Ventricular Assist System.** *J Am Coll Cardiol* 2011;57:1375-82.

VanderPluym C, Rebeyka I, Ross D, Buchholz H.: **The use of ventricular assist device in pediatric patients with univentricular hearts.** *J Thorac Cardiovasc Surg* 2011;141:588-90.

## 2010

Abstract Issue: **The international Society for Heart and Lung Transplantation Thirtieth Annual meeting and Scientific Sessions.** *J Heart Lung Transplant* 2010; Supplement February 2010 No. 2.

Camboni D, Philipp A, Haneya A, Puehler T, Arlt M, Hilker M, Schmid FX, Schmid C: **Serial Use of an Interventional Lung Assist Device and a Ventricular Assist Device.** *ASAIO J* 2010;56:1-3.

Cavanaugh J, Miyamoto S, da Cruz E, Pietra B, Campbell D, Mitchell M, Peyton C, Gruenwald J, Darst J: **Predicting recovery: Successful explant of a ventricular assist device in a child with dilated cardiomyopathy.** *J Heart Lung Transplant* 2010;29:1005-108.

Fan Y, et al.: **Outcomes of ventricular assist device support in young patients with small body surface area.** *Eur J Cardiothorac Surg* 2010, doi:10.1016/j.ejcts.2010.08.031.

Gossett J, Canter C, Zheng J, Schechtman K, Blume E, Rodgers S, Naftel D, Kirklin J, Scheel J, Fricker F, Kantor P, Pahl E, and the Pediatric Heart Transplantation Study Investigators: **Decline in rejection in the first year after pediatric cardiac transplantation: A multi-institutional study.** *J Heart Lung Transplant* 2010;29:625-32.

O'Connor M, Menteeer JD, Chrisant M, Monos D, Lind C, Levine S, Gaynor W, Hanna B, Paridon S, Ravishankar C, Kaufman B: **Ventricular assist device-associated anti-human leukocyte antigen antibody sensitization in pediatric patients bridged to heart transplantation.** *J Heart Lung Transplant* 2010;29:109-116.

Humpl T, Furness S, Gruenwald C, Hyslop C, and van Arsdell G: **The Berlin Heart EXCOR Pediatrics—The SickKids Experience 2004-2008.** *Artificial Organs* 2010;34(12):1082-1086.

Ignjatovic V et al: **Dosing and monitoring of enoxaparin (low molecular weight heparin) therapy in children.** *Brit J Haem* 2010;149:734-738.

Ignjatovic V, et al: **Age-specific differences in binding of heparin to plasma proteins.** *J Thromb Haemost* 2010;8:1290-1294.

Jeewa A, Manlhiot C, McCrindle B, van Arsdell G, Humpl T and Dipchand A: **Outcomes With Ventricular Assist Device Versus Extracorporeal Membrane Oxygenation as a Bridge to Pediatric Heart Transplantation.** *Artificial Organs* 2010;34(12):1087-1091.

Kirk R, et al: **The registry of the International Society for Heart Lung Transplantation: Thirteenth official pediatric heart transplantation report – 2010.** *J Heart Lung Transplant* 2010;29:1119-1128.

Lee S, Kamdar F, Madlon-Kay R, Boyle A, Colvin-Adams M, Pritzker M, John R: **Effects of the HeartMate II continuous-flow left ventricular assist device on right ventricular function.** *J Heart Lung Transplant* 2010;29:209-15.

Meyer A, et al: **Acquired von Willebrand's Syndrome in Patients with an Axial Flow Left Ventricular Assist Device.** *Circ Heart Fail* 2010;3:675-681.

Morales D, Zafar F, Rossano J, Salazar J, Jefferies J, Graves D, Heinle J, Fraser, Jr, C: **Use of Ventricular Assist Devices in Children Across the United States: Analysis of 7.5 Million Pediatric Hospitalizations.** *Ann Thorac Surg* 2010;90:1313-1319.

Nair P, Kormos R, Teuteberg J, Mathier M, Bermudez C, Toyoda Y, Dew M, Simon M: **Pulsatile left ventricular assist device support as bridge to decision in patients with end-stage heart failure complicated by pulmonary hypertension.** *J Heart Lung Transplant* 2010;29:201-8.

Schoof S, Bertram H, Hohmann D, Jack T, Wessel A, Yelbuz M: **Takotsubo Cardiomyopathy in a 2-Year-Old Girl: 3-Dimensional Visualization of Reversible Left Ventricular Dysfunction.** *J Am Coll Cardiol* 2010;55(3):e5.

Schmitz C, Sodian R, Malec E, Januszewska K, Kaczmarek I, Kofler S, Bruegger C, Kowalski C, Lang n, Reichart B: **Successful implantation of a Berlin Heart ventricular assist device in a ventricular heart failure 23 years after Senning operation.** *J Thorac Cardiovasc Surg* 2010;139:e30-31.

Shuhaiber J, Hur K, Gibbons R: **The influence of preoperative use of ventricular assist devices on survival after heart transplantation: propensity score matched analysis.** *BMJ* 2010;340:c392.(online)

Staveski S, Rosenthal D, Roth S, Avery S, Wright G: **Comprehensive Interdisciplinary Care Coordination for Young Children on Berlin Heart Ventricular Assist Devices.** Poster

Stein ML, Robbins R, Sabati A, Reinhartz O, Chin C, Liu E, Bernstein D, Roth S, Wright G, Reitz B, and Rosenthal D: **INTERMACS Defined Morbidity and Mortality Associated with Pediatric VAD Support at a Single US Center: Stanford Experience.** *Circ Heart Fail* published online Aug 31, 2010, Online ISSN: 1941-3297.

Tjan T, Hoffmeier A, Scheld H, Klotz S: **Ventricular assist device implantation in neonates: Adjustment of the Berlin Heart EXCOR arterial cannula with bovine pericardium.** *J Thorac Cardiovas Surg* 2010;139(3):783-4.

Torre-Amione G, Southard R, Loebe M, Youker K, Bruckner B, Estep J, Tierney M, Noon G: **Reversal of secondary pulmonary hypertension by axial and pulsatile mechanical circulatory support.** *J Heart Lung Transplant* 2010;29:195-200.

Uriel N, Pak S-W, Jorde UP, et al: **Acquired von Willebrand Syndrome after continuous-flow mechanical device support contributes to a high prevalence of bleeding during long-term support and at the time of transplantation.** *J Am Coll Cardiol* 2010;56:1207-1213.

## **2009**

Almond CSD, et al: **Waiting list mortality among children listed for heart transplantation in the United States.** *Circulation* 2009;119:717-727.

- Anderson E, Jaraszewski D, Pierce C, DeValeria P, Arabia F: **Parallel Application of Extracorporeal Membrane Oxygenation and the CardioWest Total Artificial Heart as a Bridge to Transplant.** *Ann Thorac Surg* 2009;88:1676-1678.
- Baldwin JT: **Introduction.** *ASAIO J* 2009;55:1-2.
- Bailey L: **The Evolution of Infant Heart Transplantation.** *J Heart Lung Transplant* 2009;28(12):1241-5.
- Bauman ME, et al: **Evaluation of enoxaparin dosing requirements in infants and children.** *Thromb Haem* 2009; 101:86-92.
- Bhavsar SS, Kapadia JY, Chopski SG, Throckmorton AL. **Intravascular mechanical cavopulmonary assistance for patients with failing Fontan physiology.** *Artif Organs* 2009;33:977-987.
- Bove A: **President's Page: Comparative Effectiveness.** *J Am Coll Cardiol* 2009;54:220-2201.
- Boyle A: **Current Status of Cardiac Transplantation and Mechanical Circulatory Support.** *Current Heart Failure Reports* 2009;6:28-33.
- Cardarelli MG, Salim M Love J, Simone S, Tumulty J, Conway D, Griffith B: **Berlin Heart as a Bridge to Recovery for a Failing Fontan.** *Ann Thorac surg* 2009;87:943-946.
- Carney E, Animal Models Working Group: **Animal Models for Pediatric Circulatory Support Device Pre-Clinical Testing: National Heart, Lung and Blood Institute Pediatric Assist Device Contractor's Meeting Animal Models Working Group.** *ASAIO J* 2009;55:6-9.
- Carney E, Clark B, Myers J, Peterson R, Wilson R, Weiss W: **Animal Model Development for the Penn State Pediatric Ventricular Assist Device.** *Artificial Organs* 2009;33(11):953-957.
- Cassidy J, Haynes S, Kirk R, Crossland D, Smith JH, Hamilton L, Griselli M, Hasan A: **Changing Patterns of Bridging to Heart Transplantation in Children.** *J Heart Lung Transplant* 2009;28:249-254.
- Dipchand A, Naftel D, Feingold B, Spicer R, Yung D, Kaufman B, Kirklin J, Allain-Rooney T, Hsu D, and the Pediatric Heart Transplant Study Investigators: **Outcomes of Children With Cardiomyopathy Listed for Transplant: A Multi-institutional Study.** *J Heart Lung Transplant* 2009;28:1312-21.
- Duncan B, Fukamachi K, Noble, Jr L, Dudzinski D, Flick C, Fumoto H, Shiose A, Arakawa Y, Takaseya T, Casas F, Smith W: **The PediPump: A Versatile, Implantable Pediatric Ventricular Assist Device – Update IV.** *Artificial Organs* 2009;33(11):1005-1008.
- Fang J: **Rise of the Machines – Left Ventricular Assist Devices as Permanent Therapy for Advanced Heart Failure.** *N Eng Journal Med* 2009;361:2282-2285.
- Frazier OH, Cohn W, Tuzun E, Winkler JA, Gregoric I: **Continuous-Flow Total Artificial Heart, Supports Long-Term Survival of a Calf.** *Tex Heart Inst J* 2009;36(6):568-74.

Garcia-Guereta L, Cabo J, de la Oliva P, Villar MA, Bronte LD, Goldman L, Hubler M: **Ventricular Assist Device Application With the Intermediate Use of a Membrane Oxygenator as a Bridge to Pediatric Heart Transplantation.** *J Heart Lung Transplant* 2009;28:740-742.

Genovese E, Dew M, Teuteberg J, Simon M, Kay J, Siegenthaler M, Bhama J, Bermudez C, Lockard K, Winowich S, Kormos R: **Incidence and Patterns of Adverse Event Onset During the First 60 Days After Ventricular Assist Device Implantation.** *Ann Thorac Surg* 2009;88:1162-1170.

Gkouziouta A, Adamopoulos S, Manginas A, Karavolias GK, Leontiadis E, Tsourelis L, Zarkalis D, Loukas L, Stavridis G, Antoniou T, Degiannis D, Melissari E, Kaklamanis L, Saroglou G, Sfirakis P, Alivizatos P: **Heart Transplantation in a Low-Organ-Donation Environment: A Single Center Experience.** *Transplant Proc* 2009;41(10):4289-93.

Griffiths ER, et al: **Evaluating failing Fontans for heart transplantation: predictors of death.** *Ann Thorac Surg* 2009;88:558-564.

Haines NM, Rycus PT, Zwischenberger JB, Bartlett RH, Undar A: **Extracorporeal Life Support Registry Report 2008: Neonatal and Pediatric Cardiac Cases.** *ASAIO J* 2009;55:111-116.

Imamura M, Dossey AM, Prophan P, Schmitz M, Frazier E, Dyamenahalli U, Bhutta A, Morrow WR, Jaquiss RD: **Bridge to Cardiac Transplant in Children: Berlin Heart versus Extracorporeal Membrane Oxygenation.** *Ann Thorac Surg* 2009;87:1894-1901.

Irving CA, Cassidy JV, Kirk RC, Griselli M, Hasan A, Crossland DS: **Successful Bridge to Transplant with the Berlin heart after Cavopulmonary Shunt.** *J Heart Lung Transplant* 2009;28:399-401.

Lamour JM, et al: **The effect of age, diagnosis, and previous surgery in children and adults undergoing heart transplantation for congenital heart disease.** *J Am Coll Cardiol* 2009;54:160-165.

John R, Panch S, Hrabe J, Wei P, Solovey A, Joyce L, Hebbel R: **Activation of Endothelial and Coagulation Systems in left Ventricular Assist Device Recipients.** *Ann Thorac Surg* 2009;88:1171-1179.

Jones CB, Cassidy JV, Kirk R, Black F, Griselli M, Hasan A, Crossland DS: **Successful Bridge to Recovery With 120 Days of Mechanical Support in an Infant With Myocarditis.** *J Heart Lung Transplant* 2009;28:202-205.

Kirk R, Edwards LB, Aurora P, Taylor DO, Christie JD, Dobbels F, Kucheryavaya AY, Rahmel AO, Stehlik J, Hertz MI: **Registry of the International Society for Heart and Lung Transplantation: Twelfth Official Pediatric Heart Transplantation Report-2009.** *J Heart Lung Transplant* 2009;28:993-1006.

Komoda T, Lehmkuhl HB, Stiller B, Berger F, Hetzer R: **Pediatric Heart Transplant Candidates With Failed Donor Heart Allocation After Eurotransplant Urgency Listing Profit From Pre-transplant mechanical Circulatory Support Bridging.** *Artif Organs* 2009;33:346-351.

Kouretas PC, Burch PT, Kaza AK, Lambert LM, Witte MK, Everitt MD, Siddiqi FA: **Management of Deep Wound Complications With Vacuum-Assisted Therapy After Berlin Heart EXCOR Ventricular Assist Device Placement in the Pediatric Population.** *Artif Organs* 2009;33(11):922-5.

Kouretas PC, Kaza AK, Burch PT, Witte MK, Clayson SE, Everitt MD, Selzman CH: **Experience With the Levitronix CentriMag in the Pediatric Population as a Bridge to Decision and Recovery.** *Artif Organs* 2009;33(11):1002-4.

Krokstrom A, Higgins T, Johannson S, Jogi P: **Use of Pediatric Berlin Heart EXCOR Biventricular Device as a Bridge to Retransplantation in a 10-Month-Old Infant with Acute Graft Failure After Cardiac Transplantation.** *ASAIO J* 2009;55:525-6.

Mah D, Singh T, Thiagarajan R, Gauvreau K, Piercey G, Blume E, Fynn-Thompson F, Almond C: **Incidence and Risk Factors for Mortality in Infants Awaiting Heart Transplantation in the USA.** *J Heart Lung Transplant* 2009;28:1292-8.

McCarthy P: **Partial Mechanical Cardiac Support: Part of the Solution or Part of the Problem?** *J Am Coll Cardiol* 2009;54:87-88.

Miller L: **Is Pulsatile Blood Flow No Longer Essential?** *Circulation* 2009;120:2313-2314.

Pal J, Piacentino V, Cuevas A, Depp T, Daneshmand M, Hernandez A, Felker M, Lodge A, Rogers J, Milano C: **Impact of Left Ventricular Assist Device Bridging on Posttransplant Outcomes.** *Ann Thorac Surg* 2009;88:1457-1461.

Patolla V, Patten R, DeNofrio D, Konstam M, Krishnamani R: **The Effect of Ventricular Assist Devices on Post-Transplant Mortality.** *Jam Coll Cardiol* 2009;53:264-71.

Pearce FB, Kirklin JK, Holman WL, Barrett CS, Romp RL, Lau YR: **Successful cardiac transplant after Berlin Heart bridge in a single ventricle heart: Use of aortopulmonary shunt as a supplementary source of pulmonary blood flow.** *J Thorac Cardiovasc Surg* 2009;137:40-2.

Russell S, Rogers J, Milano C, Dyke D, Pagani F, Aranda J, Klodell, Jr C, Boyle A, John R, Chen L, Massey HT, Farrar D, Conte J, and the HeartMate II Clinical Investigators: **Renal and Hepatic Function Improve in Advanced heart Failure Patients During Continuous-Flow Support With the HeartMate II Left Ventricular Assist Device.** *Circulation* 2009;120:2352-2357.

Samuel-Reid J, Cope JU, Morrison AE: **Device safety and effectiveness in the pediatric population: a US FDA perspective.** *Expert Rev Med Devices* 2009;6:131-5.

Schaffer J, Allen J, Weiss E, Patel N, Russell S, Shah A, Conte J: **Evaluation of Risk Indices in Continuous-Flow Left Ventricular Assist Device Patients.** *Ann Thorac Surg* 2009;88:1889-1896.

Scohy TV, Gommers D, Maat AP, Dejong PL, Gogers AJ, Hofland J: **Intraoperative trans-esophageal echocardiography is beneficial for hemodynamic stabilization during left ventricular assist device implantation in children.** *Paediatr Anaesth* 2009;19:390-395.

Slaughter M, et. Al.: **Advanced heart Failure Treated with Continuous-Flow Left Ventricular Assist Device.** *N Engl J Med* 2009;361:1-11.

Taylor D, Stehlik J, Edwards L, Aurora P, Christie J, Dobbels F, Kirk R, Kucheryavaya A, Rahmel A, Hertz M: **Registry of the International Society for Heart and Lung Transplantation: Twenty-sixth Official Adult Heart Transplant Report-2009.** *J Heart Lung Transplant* 2009;28:1007-22.

Warnes C: **Adult Congenital Heart Disease: Importance of the Right Ventricle.** *J Am Coll Cardiol* 2009;54:1903-1910.

Webber S: **Pediatric Circulatory Support Contractors' Meeting – Report of the Clinical Trials Working Group.** *ASAIO J* 2009, Special report:10-12.

## **2008**

People Magazine: **Anything for his girl.** 8 December, Page 93-94.

Chan MY, Andreotti F, Becker RC: **Hypercoagulable States in Cardiovascular Disease.** *Circulation* 2008;118:2286-2297.

Davies R, Russo M, Hong K, O'Byrne M, Cork D, Moskowitz A, Gelijns A, Mital S, Mosca R, Chen J: **The use of mechanical circulatory support as a bridge to transplantation in pediatric patients: An analysis of the United Network for Organ Sharing database.** *J Thorac Cardiovasc Surg* 2008;135:421-427.

Drews T, Jurmann M, Michael D, Miralem P, Weng Y, Hetzer R: **Differences in Pulsatile and Non-pulsatile Mechanical Circulatory Support in Long-Term Use.** *J Heart Lung Transplant* 2008;27:1096-101.

Furness S, Hyslop-St George C, Pound B, Earle M, Maurich A, Rice D, Humpl T: **Development of an Interprofessional Pediatric Ventricular Assist Device Support Team.** *ASAIO J* 2008;54:483-485.

Gandhi SK, Grady RM, Huddleston CB, Balzer DT, Canter CE: **Beyond Berlin: heart transplantation in the “untransplantable”.** *J Thorac Cardiovasc Surg* 2008;136:529-531.

Gandhi SK, Huddleston CB, Balzer DT, Epstein DJ, Boschert TA, Canter CE: **Biventricular Assist Devices as a Bridge to Heart Transplantation in Small Children.** *Circulation* 2008;118(Suppl 1):S89-93.

Heise G, Lemmer J, Weng Y, Hubler M, Alexi-Meskishvili V, Bottcher W, hetzer R, Berger F, Stiller B: **Biomarker Responses During Mid-term mechanical Cardiac Support in Children.** *J heart Lung Transplant* 2008;27:150-7.

Hernandez AF, Shea AM, Milano CA, Rogers JG, Hammill BG, O'Connor CM, Schulman KA, Peterson ED, Curtis LH: **Long-term Outcomes and Costs of Ventricular Assist Devices Among Medicare Beneficiaries.** *JAMA* 2008;300(20):2398-2406.

Kirklin JK: **Mechanical Circulatory support as a Bridge to Pediatric Cardiac Transplantation.** *Semin Thorac Cardiovasc Surg Peadiatr Card Surg Ann* 2008;11:80-5.

Li J, Yow E, Berezny K, Bokesch P, Takahashi M, Graham, Jr. T, Sanders S, Sidi D, Bonnet D, Ewert P, Jennings L, Michelson A and for the PICOLO Investigators: **Dosing of Clopidogrel for Platelet Inhibition in Infants and Young Children: Primary Results of the Platelet Inhibition in Children on cLOpidogrel (PICOLO) Trial.** *Circulation* 2008;117:553-559.

Maat AP, van Thiel RJ, Dalinghaus M, Bogers AJ: **Connecting the CentriMag Levitronix Pump to Berlin Heart EXCOR Cannulae; New Approach to Bridge to Bridge.** *J Heart Lung Transplant* 2008;27:112-5.

Malaisrie SC, Pelletier MP, Yun JJ, Sharma K, Timek TA, Rosenthal DN, Wright GE, Tobbins RC, Reitz BA: **Pneumatic Paracorporeal Ventricular Assist Device in Infants and Children: Initial Stanford Experience.** *J Heart Lung Transplant* 2008;27:173-7.

Pauliks LB, Undar A: **New devices for pediatric mechanical circulatory support.** *Curr Opin Cardiol* 2008;23:91-96.

Potapov EV, Loforte A, Weng Y, Jurmann M, Pasic M, draws T, Loebe M, Hennig E, Krabatsch T, Koster A, Lehmkuhl HB, Hetzer R: **Experience with over 1000 implanted ventricular assist devices.** *J Card Surg* 2008;23:185-194.

Pretre R, Haussler A, Bettex D, Genoni M: **Right-sided univentricular cardiac assistance in a failing Fontan circulation.** *Ann Thorac Surg* 2008;86:1018-1020.

Rockett SR, Bryant JC, Morrow WR, Frazier EA, Fiser WP, McKamie WA, Johnson CE et. Al.: **Preliminary Single Center North American Experience with the Berlin Heart Pediatric EXCOR Device.** *ASAIO J* 2008;54:479-82.

Russo P, Wheeler A, Russo J, Tobias JD: **Use of a ventricular assist device as a bridge to transplantation in a patient with single ventricle physiology and total cavopulmonary anastomosis.** *Paediatr Anaesth* 2008;18:320-324.

Throckmorton AL, Untaroiu A: **CFD Analysis of a Mag-Lev Ventricular Assist Device for Infants and Children: Fourth Generation Design.** *ASAIO J* 2008;54:423-431.

Schmitz ML, Massicotte P, Faulkner SC, Bhutta AT, Johnson CE, Seib PM, Frazier EA, Fiser, Jr. WP, Imamura M, Jaquiss RDB: **Management of a Pediatric Patient on the Berlin Heart EXCOR Ventricular Assist Device With Argatroban After Heparin-Induced Thrombocytopenia.** *ASAIO J* 2008;54:546-547.

Seibel K, Berdat P, Boillat C, Wagner B, Zachariou Z, Kessler U: **Hemostasis Management in Pediatric Mechanical Circulatory Support.** *Ann Thorac Surg* 2008;85:1453-1456.

Warkentin TE et al: **Bivalirudin.** *Thromb Haemost* 2008;99:830-839.

Yerebakan C, Buz S, huebler M, Weg Y, Lehnkuhl H, Hetzer R: **Right Ventricular Failure Following Heart Transplantation – Recovery After Extended Mechanical Support.** *J Card Surg* 2008;23:578-580.

## 2007

Calvaruso DF, Ocello S, Salviato N, Guardi D, Petruccelli DF, Rubino A, Fattouch K, Cipriani A, Marcelletti CF: **Implantation of a Berlin Heart as Single Ventricle By-Pass on Fontan Circulation in Univentricular Heart Failure.** *ASAIO J* 2007;53:e1-2.

Chu MW, Sharma K, Tchervenkov CI, Jutras LF, Lavoie J, shemie SD, Laliberte E, Calaritis C, Cecere R: **Berlin Heart Ventricular Assist Device in a Child With Hypoplastic Left Heart Syndrome.** *Ann Thorac Surg* 2007;83:1179-1181.

Draws T, Stiller, Hubler M, Weng Y, Berger F, Hetzer R: **Coagulation Management in Pediatric Mechanical Circulatory Support.** *ASAIO J* 2007;53:640-645.

Koster A et al; **Bivalirudin during cardiopulmonary bypass in patients with previous or acute heparin-induced thrombocytopenia and heparin antibodies: results of the CHOOSE-ON trial.** *Ann Thor Surg* 2007;83:572-577.

Potapov EV, Stiller B, Hetzer R: **Ventricular assist devices in children: Current achievements and future perspectives.** *Pediatr Transplant* 2007;11:241-255.

Riesenfeld J, Ries D, Hetzer R: **Analysis of the heparin coating of an EXCOR Ventricular Assist Device after 855 days in a patient.** *Society for Biomaterial Annual Meeting 2007*

Steenwyk BL, Kirklin JK, Gurley WQ, Nielsen VG: **The Hemostatic History of a 15-Month-Old Child Implanted with a Berlin Heart Left Ventricular Assist Device.** *Anesth Analg* 2007;104:538-540.

Tschirkov A, Nikolov D, Papantchev V: **The Berlin heart EXCOR in a 11-Year-Old Boy: A Bridge to Recovery after Myocardial Infarction.** *Tex Heart Inst J* 2007;34:445-448.

Tsukui H, Ablal A, Teuteberg JJ, et al: **Cerebrovascular accidents in patients with a ventricular assist device.** *J Thorac Cardiovasc Surg* 2007;134:114-123.

## 2006

Almond C, Harrington J, Thiagarajan R, Duncan C, LaPierre R, Halwich D, Blume E, dle Nido P, Neufeld E, McGowan F: **Successful Use of Bivalirudin for Cardiac Transplantation in a Child With Heparin-induced Thrombocytopenia.** *J Heart Lung Transplant* 2006;25:1376-9.

Arabia FA, Tsau PH, Smith RG, Nolan PE, Paramesh V, Bose RK, Woolley DS et.al.: **Pediatric Bridge to heart Transplantation: Application of the Berlin Heart, Medos, and Thoratec Ventricular Assist Devices.** *J Heart Lung Transplant* 2006;25:16-21.

Bernstein D, et al: **Outcome of listing for cardiac transplantation for failed Fontan: A multi-institutional study.** *Circulation* 2006;114:273-280.

Blume ED, et al: **Outcomes of children bridged to heart transplantation with ventricular assist devices: A multi-institutional study.** *Circulation* 2006;113:2313-2319.

Duncan BW: **Pediatric Mechanical Circulatory Support in the United States: Past, Present, and Future.** *ASAIO J* 2006;52:525-529.

Dunnington GH Jr., Sleasman J, Alkhalidi A, Pelletier MP, Reitz BA, Robbins RC: **Successful Bridge to Transplant Using the Berlin Heart Left Ventricular Assist Device in a 3-Month-Old Infant.** *Ann Thorac Surg* 2006;81:1116-1118.

Fraser, Jr C, Carberry K, Owens WR, Arrington K, Morales D, Heinle J, McKenzie D: **Preliminary Experience With the MicroMed DeBakey Pediatric Ventricular Assist Device.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2006;9:109-114.

George RS et al: **Bridge to transplantation with a left ventricular assist device for systemic ventricular failure after mustard procedure.** *Ann Thorac Surg* 2006;83:306-308.

Chez O, Liesner R, Karimova A, Ng C, Goldman A, van Doorn C: **Subcutaneous Low Molecular Weight Heparin for Management of Anticoagulation in Infants on Excor Ventricular Assist Device.** *ASAIO J* 2006;52:705-707.

Hetzer R, Stiller B: Technology Insight: **Use of ventricular assist devices in children.** *Nat Clin Pract Cardiovasc Med* 2006;3:377-386.

Hetzer R, Potapov EV, Stiller B, Weng Y, Hubler M, Lemmer J, Alexi-Meskishvili V, Redlin M, Merkle F, Kaufmann F, Hennig E: **Improvement in Survival After Mechanical Circulatory Support with Pneumatic Pulsatile Ventricular Assist Devices in Pediatric Patients.** *Ann Thorac Surg* 2006;82:917-925.

Hetzer R, Alexi-Meskishvili V, Weng Y, Hubler M, Potapov E, Drews T, Hennig E, Kaufmann F, Stiller B: **Mechanical Cardiac Support in the Young with the Berlin Heart EXCOR Pulsatile Ventricular Assist Device: 15 years' Experience.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2006;9:99-108.

Hill D and Reinhartz O: **Clinical Outcomes in Pediatric Patients Implanted With Thoratec Ventricular Assist Device.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2006;9:115-112.

Hoskote A, Bohn D, Gruenwald C, Edgell D, Cai S, Adatia I, Van Arsdell G: **Extracorporeal life support after staged palliation of a functional single ventricle: Subsequent morbidity and survival.** *J Thorac Cardiovasc Surg* 2006;131:1114-21.

Hursting M, Dubb J, Verme-Gibboney C: **Argatroban Anticoagulation in Pediatric Patients.** *J Pediatr Hematol Oncol* 2006;28:4-10.

Morales DL, Gunter KS, Fraser CD: **Pediatric mechanical circulatory support.** *Int J Artif Organs* 2006;29:920-937.

Nathan M, Baird C, Fynn-Thompson F, Almond C, Thiagarajan R, Laussen P, Blume E, Pigula F: **Successful implantation of a Berlin heart biventricular assist device in a failing single ventricle.** *J Thorac Cardiovas Surg* 2006;131:1407-1408.

Newcomb AE, Negri JC, Brizard CP, d'Udekem Y: **Successful left ventricular assist device bridge to transplantation after failure of a fontan revision.** *J Heart Lung Transplant* 2006;25:365-367.

Potapov EV, Hetzer R: **Pediatric Berlin Heart Excor.** *Ann Thorac Cardiovasc Surg* 2006;12:155.

Rosenthal D, Bernstein D: **Pediatric Mechanical Circulatory Support: Challenges and Opportunities.** *Circulation* 2006;113:2266-2268.

Schmid C, Debus V, Gogarten W, Loher A, Drees G, Scheld HH, Tjan TD: **Pediatric Assist with the Medos and Excor Systems in Small Children.** *ASAIO J* 2006;52:505-508.

Schmid C, Tjan T, Etz C, Welp H, rukosujew A, Klotz S, Drees G, Gogarten W, Scheld HH: **The Excor Device - Revival of an Old System with Excellent Results.** *Thorac Cardiovasc Surg* 2006;54:393-399.

Sharma M, Webber S, Morell V, Gandhi S, Wearden P, Buchanan J and Kormos R: **Ventricular Assist Device Support in Children and Adolescents as a Bridge to Heart Transplantation.** *Ann Thorac Surg* 2006;82:926-932.

Stiller B, Lemmer J, Schuber S, Ewert P, Schulze-Neick I, Hubler M, Redlin M, Beerger F, Hetzer R: **Management of Pediatric Patients After Implantation of the Berlin Heart EXCOR Ventricular Assist Device.** *ASAIO J* 2006;52:497-500.

Studer MA, et al: **An Alternative Treatment Strategy for Pump Thrombus in the DeBakey VAD Child: Use of Clopidogrel as a Thrombolytic Agent.** *J Heart Lung Transplant* 2006;25:857-861.

Towbin JA, et al: **Incidence, causes, and outcomes of dilated cardiomyopathy in children.** *JAMA* 2006;296:1867-1876.

## 2005

Camboni D, Schmid C, Rellensmann G, Tjan TD: **Enoxaparin for long-term anticoagulation with the pediatric EXCOR left ventricular assist device.** *Interact Cardiovasc Thorac Surg* 2005;4:561-562.

Eghtesady P, Nelson D, Schwrtz SM, Wheeler D, Pearl JM, Cripe LH, Manning PB: **Heparin-induced thrombocytopenia complicating support by the Berlin Heart.** *ASAIO J* 2005;51:820-825.

El-Banayosy A, Cobaugh D, Zitterman A, Kitzner L, Arusolglu L, Morshuis M, milting H, Tenderich G, Koerfer R: **A Multidisciplinary Network To Save the Lives of Severe, Persistent Cardiogenic Shock Patients.** *Ann Thorac Surg* 2005;80:543-7.

Frazier OH, Gregoric ID, Messner GN: **Total circulatory support with an LVAD in an adolescent with a previous Fontan procedure.** *Tex Heart Inst J* 2005;32:402-404.

Eghtesady P: **Editorial letter regarding "Total circulatory support with an LVAD in an adolescent with a previous Fontan procedure."** *Tex Heart Inst J* 2006;32:618-619.

Gregoric I, Kosir R, Smart F, Messner G, Patel V, La Fancesca S, Cervera R, Frazier OH: **Left Ventricular Assist Device Implantation in a Patient with Congenitally Corrected Transposition of the Great Arteries.** *Tex Heart Inst J* 2005;32:567-9.

Hetzer R, Potapov B, Stiller B, Weng Y, Hubler M, Lemmer J et. Al.: **Hohere Überlebensrate nach mechanischer Kreilaufunterstützung mittels eines pneumatischen, pulsatilen Unterstützungssystems bei Säuglingen und Kindern.** *Z herz- Thorax- Gefäßchir* 19;1-9 (2005).

John T, Hallisey, Jr R: **Argatroban and Lepirudin Requirements in a 6-Year-Old Patient with heparin-Induced Thrombocytopenia.** *Pharmacotherapy* 2005;25(10):1383-1388.

Kaczmarek I, Sachweh J, Groetzner J, Gulbins H, Mair H, Rainer KF, Zysk S, Reicchart B, Daebritz S.: **Mechanical circulatory support in pediatric patients with the MEDOS assist device.** *ASAIO J* 2005;51:498-500.

Kaczmarek I, Mair H, Groetzner J, Sachweh J, Oberhoffer M, Fuchs A, Reichart B, Daebritz S: **Mechanical Circulatory Support in Infants and Adults With the MEDOS/HIA Assist Device.** *Artif Organs* 2005;51:498-500.

Minami K, Knyphausen E, Suzuki R, Blanz U, Arusglu L, Morshuis M, El-Banayosy A, Korfer R: **Mechanical ventricular circulatory support in children: Bad Oeynhausen experience.** *Ann Thorac Cardiovasc Surg* 2005;11:307-312.

Pekkan K, Frakes D, de Zelicourt D, Lucas C, Parks WJ, Yoganathan A: **Coupling Pediatric Ventricle Assist Devices to the Fontan Circulation: Simulations with a Lumped-Parameter Model.** *ASAIO J* 2005;51:618-628.

Reinhartz O, Hill JD, Al-Khalidi A, Pelletier MP, Robbins RC, Farrar DJ: **Thoratec Ventricular Assist Devices in Pediatric Patients: Update on Clinical Results.** *ASAIO J* 2005;51:501-503.

Sharma M, Webber S, Ghandi S, Morell V, Winowich S, Buchanan J, Kormos R: **Pulsatile Paracorporeal Assist Devices in Children and Adolescents with Biventricular Failure.** *ASAIO J* 2005;51:490-494.

Stiller B, Weng Y, Hubler M, Lemmer J, Nagdyman N, Redlin M, Lange PE, Hetzer R: **Pneumatic pulsatile ventricular assist devices in children under 1 year of age.** *Eur J Cardiothorac Surg* 2005;28:234-239.

Van Doorn C, Carimova A, Burch M, Goldman A: **Sequential Use of Extracorporeal Membrane Oxygenation and the Berlin Heart Left Ventricular Assist Device for 106-day Bridge to Transplant in a Two-Year-Old Child.** *ASAIO J* 2005;51:668-669.

## 2004

Etz C, Welp H, Tjan TD, Krasemann T, Scchmidt C, Scheld HH, Schmid C: **Successful Long-Term Bridge to Transplant in a 5-Year-Old Boy with the EXCOR Left Ventricular Assist Device.** *Thorac Cardiovasc Surg* 2004;52:232-234.

Laliberte E, Cecere R, Tchervenkov C, Wan C, Bittira B, Calaritis C, Beland M, Decell M, Reyes T, Shum-Tim D: **The Combined Use of Extracorporeal Life Support and the Berlin Heart Pulsatile Pediatric Ventricular Assist Device as a Bridge to Transplant in a Toddler.** *JECT* 2004;36:158-161.

Monagle P, Chan A, Massicotte P, Chalmers E, Michelson A: **Antithrombotic Therapy in Children: The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy.** *CHEST* 2004;126:645S-687S.

Stiller B, Lemmer J, merkle F, Alexi-Meshishvili V, Weng Y, Hubler m, Koster A, Drews T, Lange PE, Hetzer R: **Consumption of blood products during mechanical circulatory support in children: comparison between ECMO and a pulsatile ventricular assist device.** *Intensive Care Med* 2004;30:1814-1820.

Stiller B, Weng Y, hubler M, Potapov E et. Al.: **Entwöhnung nach Herzunterstützung mit pneumatisch pulsatilem Assist Device (Berlin Heart) im Kendersalter.** *Z Herz- Thorax- Gefabchir* 18:168-175 (2004).

## 2003

Drews T: **Outpatients on mechanical circulatory support.** *Ann Thorac Surg* 2003;75:780-785.

Golman AP, Cassidy J, de Leval M, Haynes S, Brown K, Whitmore P, Cohen G, Tsang V, Elliott M, Davison A, Hamilton L, Bolton D, Wray J, Hasan A, Radley-Smith R, Macrae D, Smith J: **The waiting game: bridging to paediatric heart transplantation.** *Lancet* 2003;362:1967-1970.

Lubenow N, Selleng S, Wollert H, Eichler P, Mullejans B, Greinacher A: **Heparin-Induced Thrombocytopenia and Cardiopulmonary bypass: Perioperative Argatroban Use.** *Ann Thorac Surg* 2003;75:577-9.

Merkle F, Boettcher W, Stiller B, Hetzer R: **Pulsatile Mechancial Cardiac Assistance in Pediatric Patients with the Berlin Heart Ventricular Assist Device.** *JECT* 2003;35:115-120.

Reinhartz O, et al: **Thoratec ventricular assist devices in children with less than 1.3 m<sup>2</sup> of body surface area.** *ASAIO J* 2003;49:727-730.

Stiller B, Hetzer R, Weng Y, Hummel M, Henning E, Nagdyman N, Ewert P, Lehmkuhl H, Lange PE: **Heart Transplantation in Children After Mechanical Circulatory Support With Pulsatile Pneumatic Assist Device.** *J Heart Lung Transplant* 2003;22:1201-1208.

## 2002

Antoniou T, Kapetanakis E, Theodoraki K, Rellia P, Thanoloulos A, Kotiou M, Zarkalis D, Alivizatos P: **Cardiac Surgery in Patients with Heparin-Induced-Thrombocytopenia Using Preoperatively Determined Dosages of Iloprost.** *The Heart Surgery Forum* #2001-55335 5(4):2002

Duncan B: **Mechanical Circulatory Support for Infants and Children With Cardiac Disease.** *Ann Thorac Surg* 2002;73:1670-7.

Levi D, Marelli D, Plunkett M, Alejos J, Bresson J, Tran J, Eisenring C, Sadeghi A, Galindo A, Fazio D, Gupta A, Burch C, George B, Laks H: **Use of Assist Devices and ECMO to Bridge Pediatric Patients With Cardiomyopathy to Transplantation.** *J Heart Lung Transplant* 2002;21:760-770.

Odegard K, McGowan, Jr. F, Zurakowski D, DiNardo J, Castro R, del Nido P, Laussen P: **Coagulation factor abnormalities in patients with single-ventricle physiology immediately prior to the Fontan procedure.** *Ann Thorac Surg* 2002;73:1770-1777.

Reinhartz O, Stiller B, Eilers R, Farrar DJ: **Current Clinical Status of Pulsatile Pediatric Circulatory Support.** *ASAIO J* 2002;48:455-459.

Stewart AS, et al: **Left ventricular assist device for right side assistance in patients with transposition.** *Ann Thorac Surg* 2002;74:912-914.

Throckmorton AL, Allaire PE, Gutgesell HP, Matherne GP, Olsen DB, Wood HG, Allaire JH, Patel SM: **Pediatric Circulatory Support Systems.** *ASAIO J* 2002;48:216-221.

## 2001

Drews T: **Outpatients on biventricular assist devices.** *Thorac Cardiovasc Surg* 2001;49:296-299.

Duncan B, Bohn D, Atz A, French J, Laussen P, Wessel D: **Mechanical circulatory support for the treatment of children with acute fulminant myocarditis.** *J Thorac Cardiovasc Surg* 2001;122:440-8.

Helman D, Oz Mehmet: **Developing a Comprehensive Mechanical Support Program.** *J Card Surg* 2001;16:203-208.

Koster A, Kukuchka M, Bach F, Meyer O, Fischer T, Mertzlufft F, Loebe M, Hetzer R, Kuppe H: **Anticoagulation during Cardiopulmonary Bypass in Patients with Heparin-induced Thrombocytopenia Type II and Renal Impairment Using Heparin and the Platelet Glycoprotein IIb-IIIa Antagonist Tirofiban.** *Anesthesiology* 2001;94:245-51.

Koster A, Loebe M, Sodian R, Potapov EV, Hansen R, Muller J, Mertzlufft F, Crystal GJ, Kuppe H, Hetzer R. **Heparin antibodies and thromboembolism in heparin-coated and noncoated ventricular assist devices.** *J Thorac Cardiovasc Surg.* 2001;121:331-335.

Pahl E, et al: **Death after rejection with severe hemodynamic compromise in pediatric heart transplant recipients: a multi-institutional study.** *J Heart Lung Transplant* 2001;20:279-287.

Reinhartz O, et al: **Multicenter experience with the Thoratec ventricular assist device in children and adolescents.** *J Heart Lung Transplant* 2001;20:439-448.

West LJ et al: **ABO-incompatible heart transplantation in infants.** *N Engl J Med* 2001;344:793-800.

## 2000

Alexi-Meskishvili V, Hetzer R, Weng Y, Stiller B, Loebe M, Potapov E: **The Use of the Berlin Heart in Children:** Book Chapter 17 2001.

deVeber G: **Neurologic outcome in survivors of childhood arterial ischemic stroke and sinovenous thrombosis.** *J Child Neurol* 2000;15:316-324.

Drews T, Loebe M, Henning E, Kaufmann F, Juller J, Hetzer R: **The 'Berlin Heart' assist device.** *Perfusion* 2000 Jul;15(4):387-96.

Ibrahim A, Duncan B, Blume E, Jonas R: **Long-term follow-up of pediatric cardiac patients requiring mechanical circulatory support.** *Ann Thorac Surg* 2000;69:186-192.

Koster A, Sanger S, Hansen R, Sodian R, Mertzlufft F, Harke C, Kuppe H, Hetzer R, Loebe M. **Prevalence and persistence of heparin/platelet factor 4 antibodies in patients with heparin coated and noncoated ventricular assist devices.** *ASAIO J* 2000;46:319-322.

Schmitz C, Welz A, Dewald O, Kozlik-Feldmann R, Netz H Reichart B: **Switch From a BIVAD to a LVAD in a Boy with Kawasaki Disease.** *Ann Thorac Surg* 2000;69:1270-1271.

Tandler R, Weyand M, Schmid C, Gradaus R, Schmidt C, Scheld H: **Long-Term Anticoagulation with Recombinant Hirudin in a Patient on Left Ventricular Assist Device Support.** *ASAIO J* 2000;46:792-794.

## 1999

Hetzer R, Loebe M, Weg Y, Alexi-Meskishvili V, Stiller B: **Pulsatile Pediatric Ventricular Assist Devices: Current Results for Bridge to Transplantation.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 1999;2:157-176.

Stiller B, Dahnert I, Weng YG, Henning E, Hetzer R, Lange PE: **Children may survive severe myocarditis with prolonged use of biventricular assist devices.** *Heart* 1999;82:237-40.

Wiklund L et al: **Implantation of a left ventricular assist device, back-to-front, in an adolescent with a failing Mustard procedure.** *J Thorac Cardiovasc Surg* 1999;118:755-756.

## 1998

Hetzer R, Loebe M, Potapov EV, Weng Y, Stiller B, Henning E, Alexi-Meskishvili V, Lange PE: **Circulatory Support With Pneumatic Paracorporeal Ventricular Assist Device in Infants and Children.** *Ann Thorac Surg* 1998;66:1498-1506.

## 1997

Glauber M, Ferrazzi: **Mechanical Circulatory Support in Pediatric Age: Experience of Bergamo.** *Mechanical Circulatory Support* pp. 53-60, 1997.

Ishino K, Loebe M, Uhlemann F, Weng Y, Hennig E: **Circulatory support with paracorporeal pneumatic ventricular assist device (VAD) in infants and children.** *Eur J Cardiothorac Surg* 1997;11:965-972.

## 1996

Ishino D, Alexi-Meskishvili V, Weng Y, Loebe M, Uhlemann F, Lange P, Hetzer R: **Mechanical Circulatory Support for Post Cardiotomy Cardiogenic Shock in Infants.** *ASAIO J* 1996;42:M735-M738

Razzouk AJ, et al: **Transplantation as a primary treatment for hypoplastic left heart syndrome: Intermediate-term results.** *Ann Thorac Surg* 1996;62:1-8.

## 1995

Uhlemann F, Stiller B, Weng Y, Alexi-Meskishvili V, Lange P, Hetzer R: **Temporary Circulatory Support with a Biventricular Assist System and Successful Weaning through ECMO on a 5-year-old Boy with Acute Viral Myocarditis.** Deutsches Herzzentrum Berlin, 1995.

## 1991

Warnecke H, Berdjis F, Henning E, Lange P, Schmitt D, Hummel M, Hetzer R: **Mechanical left ventricular support as a bridge to cardiac transplantation in childhood.** *Eur J Cardiothorac Surg* 1991;5:330-333.

## 1990

Fontan F, et al: **Outcome after a “perfect” Fontan operation.** *Circulation* 1990;81:1520-1536.

Stein REK, et al: **Functional Status II(R): a measure of child health status.** *Med Care* 1990;28:1041-1055.

## Unknown Date

Alexi-Meskishvili, Hetzer R, Weng Y, Ishino K, Potapov E, Loebe M, Hennig E, Uhlemann F, Lange P: **Extracorporeal circulatory support in pediatric cardiac patients – The Berlin Experience.**