



Literature References Relative to Berlin Heart EXCOR® Pediatric Mechanical Circulatory Support

2021

Campbell CT, Diaz L, Kelly B. **Description of Bivalirudin Use for Anticoagulation in Pediatric Patients on Mechanical Circulatory Support.** Annals of Pharmacotherapy 2021 Vol. 55 issue 1, p. 59-64.

Spinner JA, Tunuguntla HP, Adachi I. et. Al. **Compassionate Cases of the Jarvik 2015 Ventricular Assist Device.** ASAIO J 2021 doi: 10.1097/MAT.0000000000001351

Schwendt M, Kroll J, Stiller B. **A Rare Case of Severe Dilated Cardiomyopathy in Early Infancy.** Thorac Cardiovasc Surg Rep. 2021 Jan: 10 (1): e12-e14.

Zafar F, Conway J, Bleiweis MS. et. al. **Berlin Heart and ACTION post-approved surveillance study report.** J Heart Lung Transplant 2021; 40(4); 251-259.

Romlin B, Dahlin A, Hallagen S et. al. **Clinical Course and Outcome after treatment with ventricular assist devices in pediatric patients: a single-centre experience.** Acta Anaesthesiol Scand. 2021 Feb 22. Doi: 10.1111/aas.13804.

Ghbeis M, Vander Pluym C, Thiagarajan R. **Hemostatic Challenges in Pediatric Critical Care Medicine-Hemostatic Balance in VAD.** Frontiers in Pediatrics, 9 625632 2021.

Magnetta DA, Reichhold A, Thrush PT. et.al. **Biventricular Assist Device Support of a Child with Intractable Arrhythmias Secondary to Histiocytoid Cardiomyopathy.** J Heart Lung Transplant 2021; 40(4):521-522.

Murray J, Dykes JC, Ma M. et.al. **Outcomes of Ventricular Assist Device Use for Bridge to Heart Transplant in Children with Single-Ventricle Heart Disease.** J Heart and Lung Transplant 2021; 40(4); 120.

Dykes JC, Rossenthal DN, Ma M, et.al. **Atrial Cannulation in Pediatric Mechanical Circulatory Support.** J Heart and Lung Transplant 2021; 40(4); 96.

Glass LD, Murthy R, Pastuszko P. **Systemic tPA Treatment for Thrombosis in a Patient with Dilated Cardiomyopathy on Berlin Heart.** J Heart and Lung Transplant 2021; 40(4); 533-534.

Torpoco Rivera DM, Schneider J, Dentel J, et.al. **Berlin Heart Explantation Systemic Approach Protocol in a Single Center Experience.** J Heart and Lung Transplant 2021; 40(4); 522.

Menendez-Suso JJ, Perez-Costa E, Verdu-Sanchez C, et.al. **Bivalirudin for Anticoagulation in Children Supported with Ventricular Assist Devices.** Ped Crit Car Med 2021; 22(1) 147.



Kidambi S, Moye S, Jahadi O, et. al **A Model to Evaluate Effect of Patient-Pump Mismatch on Thrombosis in a Pediatric Pulsatile Ventricular Assist Device.** *J Heart and Lung Transplant* 2021; 40(4);442.

2020

VanderPluym CJ, Cantor RS, Machado D, et. al. **Utilization and Outcomes of Children Treated with Direct Thrombin Inhibitors on Paracorporeal Ventricular Assist Device Support.** *ASAIO J.* 2020 Aug;66(8):939-945.

Adesokan AI, McCheyne A, Crossland DS. **IVC Stent to Improve Ventricular Assist Device Filling Following Pediatric Cardiac Transplant.** *World J Pediatr Congenit Heart Surg.* 2020 Jul;11(4):512-514. doi: 10.1177/2150135120908184.

Araki K, Ueno T, Taira M, et. Al. **Pediatric patient with restrictive cardiomyopathy on staged biventricular assist device support with Berlin Heart EXCOR underwent heart transplantation successfully: the first case in Japan.** *J Artif Organs.* 2020 Sep 10. doi: 10.1007/s10047-020-01208-6.

Knoll C, Blume B, Ventresco C, **Coagulation Monitoring Correlation with Bivalirudin Dosing in Pediatric Ventricular Assist Device Support.** *The Journal of Heart and Lung Transplantation, Vol. 39, Issue 4, S467–S468*

Ahmed H, Dykes J, Power A, et al. **US Trends in Pediatric VAD Utilization – Where are WE Now?** *J Heart Lung Transplant.* 2020 Apr;39(4S):S220-S221.

Bates A, Buchholz H, Freed D, et al. **Bivalirudin Experience in a Heterogeneous Ventricular Assist Device Population.** *ASAIO J.* 2020;66(6):677-682.

Bhatia I, Ho KC, Rocha BA, et al. **Pediatric ventricular assist device therapy for advanced heart failure-Hong Kong experience.** *J Artif Organs.* 2020 Jun;23(2):133-139.

Bhatia I, Rocha BA, Yam N, et al. **Long term CentriMag biventricular support using hybrid cannulation as a bridge to transplant in a pediatric patient.** *J Artif Organs.* 2020.

Cedars AM, Schumacher K, Kindel S, et al. **The Fontan VAD Physiology Project (FVPP).** *J Heart Lung Transplant.* 2020 Apr;39(4S):S12-S13.

Deshpande SR, Desai M, Sinha P, et al. **Inflow cannula obstruction in Berlin Heart Excor and novel extracorporeal membrane oxygenation cannulation for rescue.** *Int J Artif Organs.* 2020;391398820901828.

Jaworski R, Kansy A, Maruszewski B. **Air embolization of a left ventricular assist device in a child: an unusual case of a tension pneumothorax resulting in a fatal complication.** *Eur J Cardiothorac Surg.* 2020;57(1):193-19.

Lorts A, Zafar F, VanderPluym C, et. al. **Contemporary Berlin Heart EXCOR Outcomes in North America: Report from the ACTION Registry.** *J Heart Lung Transplant.* 2020 Apr;39(4S):S131.



Maeda K, Nasirov T, Yarlagadda V, et al. **Single Ventricular Assist Device Support for the Failing Bidirectional Glenn Patient** *Ann Thorac Surg.* 2020;S0003-4975(20)30344-1.

Medar SS, Hsu DT, Lamour JM, et al. **Use of bivalirudin as a primary anticoagulant in a child during Berlin Heart EXCOR ventricular assist device support.** *Perfusion.* 2020;35(2):172-176.

Moffett BS, Humlicek TJ Akcan-Arikan A, et al. **Population Pharmacokinetics of Vancomycin in the Pediatric Ventricular Assist Device Population** *Pediatric Critical Care Medicine:* 2020 Mar 12.

Rohde S, Antonides CFJ, Muslem R, et al. **Pediatric Ventricular Assist Device Support in the Netherlands.** *World J Pediatr Congenit Heart Surg.* 2020;11(3):275-283.

Tominaga Y, Ueno T, Kido T, et al. **Bridge to recovery with Berlin Heart EXCOR in children <10 kg with dilated cardiomyopathy: a histological analysis** *Eur J Cardiothorac Surg.* 2020; ezaa033.

Davis LM, Lee M, Sheridan B, et. al. **Berlin Heart EXCOR Support in the First Year of Life: A Single Centre Experience** *Heart, Lung Circulation, Vol.*

Bartfay SE, Dellgren G, Hallhagen S, et. al. **Durable Circulatory support with a paracorporeal device as an option for pediatric and adult heart failure patients** *J Thorac Cardiovasc Surg* 2020.04.163

Philip J, Powers E, Bleiweis M, et. al. **Pulsatile Ventricular Assist Device As a Bridge to Transplant For The Early High-Risk Single Ventricle Physiology** *J Thorac Cardiovasc Surg* 2020.09.071

Chen S, Rosenthal D, Murray J, et. al. **Bridge to Transplant with Ventricular Assist Device Support in Pediatric Patients with Single Ventricle Heart Disease** *ASAIO J* 2020; 66: 205-211

Fouilloux V, El Louali F, Gran C, et. al. **Berlin Heart EXCOR Pediatric Ventricular Assist Device: Does Weight Matter?** *Heart Lung Circ.* 2020 Sep 21: 1443-9506(20)30445-5

Marey GM, Said SM, Griselli M, et. al. **Berlin EXCOR Cannulation of Left Atrial Appendage in Left Ventricular Restrictive Physiology A Novel Bailout Strategy** *ASAIO J* 2020 DOI: 10.1097/MAT.0000000000001330



2019

Beasley GS, Nelson-McMillan K, Vricella L, et al. **Direct Echocardiographic Imaging of Berlin Heart Valves Can Aid in Early Detection of Berlin Heart Valve Dysfunction.** *ASAIO Journal* 2019;65(1), e4–e6.

Camboni D, Philip A, Schmid C, Loforte A. **Double, triple and quadruple cannulation for veno-arterial extracorporeal membrane oxygenation support: is there a limit?** *Ann Cardiothorac Surg* 2019;8(1), 151–159.

Gravino R, Limongelli G, Petraio A, et al. **Berlin Heart EXCOR® pediatric ventricular assist device in a patient with Sotos syndrome: a case report.** *J Med Case Rep.* 2019;13(1):286.

Huang JY, Ignjatovic V, Sheridan BJ, et al. **Bleeding and thrombotic events occur early in children on durable ventricular assist devices.** *Thromb Res* 2019; 173, 65–70.

Jeewa A, Imamura M, Canter C, et al. **Long-term outcomes after transplantation after support with a pulsatile pediatric ventricular assist device.** *J Heart Lung Transpl* 2019; 38(4), 449–455.

Jiménez Gómez E, Bravo Rey I, Oteros Fernández R, Delgado Acosta F. **Endovascular treatment of stroke in children under 2 years with heart failure and ventricular assist device.** *Interv Neuroradiol* 2019;25(5):516-520

Kanaya T, Ueno T, Taira M, et al. **Impact of Long-Term Support with Berlin Heart EXCOR® in Pediatric Patients with Severe Heart Failure.** *Pediatr Cardiol* 2019; 40(6):1126-1133.

Knoll C, Chen S, Murray J, et al. **A Quality Bundle to Support High-Risk Pediatric Ventricular Assist Device Implantation.** *Pediatr Cardiol* 2019;Aug;40(6):1159-1164.

Moffett BS, Anders M, Humlicek T, et al. **Antithrombin Population Pharmacokinetics in Pediatric Ventricular Assist Device Patients.** *Pediatr Crit Care Med.* 2019;20(12):1157-1163.

Navaratnam M, Maeda K, Hollander SA. **Pediatric ventricular assist devices: Bridge to a new era of perioperative care.** *Pediatric Anesthesia.* 2019;May 29(5): 506-518

VanderPluym CJ; Cantor RS, Machado D, et al. **Utilization and Outcomes of Children Treated with Direct Thrombin Inhibitors on Paracorporeal Ventricular Assist Device Support,** *ASAIO Journal:* 2019 Nov 20



2018

Adachi I, Kostousov V, Hensch L, et al. **Management of Hemostasis for Pediatric Patients on Ventricular Assist Devices.** *Semin Thromb Hemost.* 2018;44(1):30-37.

Badheka A, Allareddy V. **iPhone in the Management of the Berlin Heart EXCOR Ventricular Assist Device.** *ASAIO J* 2018;64(2):278-279.

Bartfay SE, Dellgren G, Dahlberg P, et al. **Berlin Heart Excor as Bridge to Heart Transplantation. A Versatile Option in Patients Not Suitable for a Continuous Flow LVAD.** *J Heart Lung Transpl* 2018;37(4):S271

Baumann Kreuziger L, Karkouti K, Tweddell J, Massicotte MP. **Antithrombotic therapy management of adult and pediatric cardiac surgery patients.** *J Thromb Haemost* 2018;16(11), 2133–2146.

Chan CHH, Diab S, Moody K, et al. **In Vitro Hemocompatibility Evaluation of Ventricular Assist Devices in Pediatric Flow Conditions: A Benchmark Study.** *Artif Organs* 2018;42(11), 1028–1034.

Di Molfetta, A, Iacobelli R, Ferrari G, et al. **A New 2D Echocardiographic Approach to Evaluate the Membrane and Valve Movement of the Berlin Heart EXCOR VAD Chamber in Pediatric VAD Patients.** *Artific Organs*, 2018;Apr;42(4), 451–456.

Di Molfetta, A, Iacobelli R, Filippelli S. **Evolution of Biventricular Loading Condition in Pediatric LVAD Patient: A Prospective and Observational Study.** *Artific Organs.* 2018;Apr;42(4):386-393.

Dykes JC, Bleiweis M, Maeda K, et al. **Berlin Heart Outcomes in Single Ventricle Patients: Where are we Now?** *J Heart Lung Transpl* 2018;37(4):S102

Fang ZA, Wesley MC, DiNardo JA. **Berlin Heart Explant in an Infant.** *J Cardiothorac Vas Anesth* 2018;Jun;32(3):1383-1385

Griselli M, Sinha R, Jang S, et al. **Mechanical Circulatory Support for Single Ventricle Failure.** *Frontiers in Cardiovascular Medicine.* 2018;5

Hascoet S, Boet A, Nubret K, et al. **Extracorporeal life support and heart-lung transplant in children.** *Presse Med.* 2018;Jul-Aug

Hetzer R, Javier MFDM, Delmo Walter EM. **Role of paediatric assist device in bridge to transplant.** *Ann Cardiothorac Surg.* 2018;Jan 7(1):82-98.

Hollander SA, Hollander EJ. **The Boy in the Bubble and the Baby With the Berlin Heart: The Dangers of "Bridge to Decision" in Pediatric Mechanical Circulatory Support.** *ASAIO J* 2018;Nov/Dec;64(6):831-832.

Huang JY, Monagle P, Massicotte MP, VanderPluym CJ. **Antithrombotic therapies in children on durable Ventricular Assist Devices: A literature review.** *Thromb Res* 2018;172,194-203.



Hyotala K. **Caring for Pediatric Heart Failure Patients With Long-Term Mechanical Circulatory Support.** *Critical Care Nurse*, 2018;38(5), 44–56.

Iacobelli R, Di Molfetta A, Brancaccio G, et al. **Acute and Long-Term Effects of Left Ventricular Assist Device Support on Right Ventricular Function in Children with Pediatric Pulsatile Ventricular Assist Devices.** *ASAIO J* 2018;64(1):91-97.

Kato H, Gandhi SK. **Use of Berlin Heart Ventricular Assist Devices as a Total Artificial Heart.** *J Thorac Cardiovasc Surg* 2018;156(2);743-745

Kohli U, Pumphrey KL, Ahmed A, Das S. **Pre-excitation induced ventricular dysfunction and successful berlin heart explantation after accessory pathway ablation.** *J Electrocardiol* 2018;51(6), 1067–1070.

Lehoux JM, Beddows KD, Lamour JM. **Pediatric Cardiac Transplantation and Mechanical Assist Devices.** *In Pediatric Critical Care* (pp. 97–116). Springer International Publishing.

Mabel H, Harrison CH, Ahmad MU, et al. **When a Child Needs a Transplant but Lacks Familial Social Support.** *Pediatrics* 2018;143(1), e20181551.

Maeda K, Almond CS, Hollander SQ, et al. **Characteristics of deposits and pump exchange in the Berlin Heart EXCOR ventricular assist device: Experience with 67 cases.** *Pediatr Transplant* 2018;Jun;22(4),e13181.

Maeda K, Rosenthal DN, Reinhartz O. **Ventricular Assist Devices for Neonates and Infants.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Annu* 2018;Mar 21:9-14.

May LJ, Lorts A, VanderPluym C, et al. **Marked Practice Variation in Antithrombotic Care with the Berlin Heart EXCOR Pediatric Ventricular Assist Device.** *ASAIO Journal* 2018;1.

Miana LA, Rodrigues da Silva GV, Caneo LF, et al. **Rational Use of Mechanical Circulatory Support as a Bridge to Pediatric and Congenital Heart Transplantation.** *Braz J Cardiovasc Surg* 2018;33(3).

Miera O, Morales DLS, Thul J, Amodeo A, et al. **Improvement of survival in low-weight children on the Berlin Heart EXCOR ventricular assist device support.** *Eur J Cardio-Thorac* 2018;55(5):913-919

Miera O, Schmitt KL, Akintuerk H, et al. **Antithrombotic therapy in pediatric ventricular assist devices: Multicenter survey of the European EXCOR Pediatric Investigator Group.** *Int J Artif Organs* 2018;41(7), 385–392.

Miller JR, Lancaster TS, Callahan C, et al. **An overview of mechanical circulatory support in single-ventricle patients.** *Translational Pediatrics* 2018;7(2),151-161

Narita J, Kogaki S, Ishigaki S, et al. **Prolonged but Successful Weaning from Berlin Heart EXCOR After a Long-term Mechanical Unloading in Infantile DCM.** *J Heart Lung Transpl* 2018;37(4):S409



Nelson-McMillan K, Ravekes W, Thompson W, et al. **Membrane Oxygenator Use with Biventricular Assist Device: Facilitation of Support and Lung Recovery.** *World J Pediatr Congenit Heart Surg* 2018;9(1):105-109.

Ono M, Sawa Y, Fukushima N, et al. **Long-term Results of Berlin Heart EXCOR Pediatric Implantation in Japan.** *J Heart Lung Transpl* 2018;37(4):S409-S410

Pace Napoleone C, Cascarano MT, Deorsola L, Valori A. **Ventricular assist device in a failing total cavopulmonary connection: a new step-by-step approach.** *Interact Cardiovasc Thorac Surg* 2018;Feb 1;26(2):341-342.

Pawlak S, Przybylski R, Skalski J, et al. **First Polish analysis of the treatment of advanced heart failure in children with the use of BerlinHeart EXCOR mechanical circulatory support.** *Kardiol Pol.* 2018;76(1):83-90.

Philip J, Lopez-Colon D, Samraj RS, et al. **End-organ recovery post-ventricular assist device can prognosticate** *J Crit Care.* 2018;Apr;44:57-62.

Purkey NJ, Lin A, Murray JM, et al. **Long-Term Pediatric Ventricular Assist Device Therapy.** *ASAIO Journal* 2018;64(1): 1

Roeleveld PP, Axelrod DM, Klugman D, et al. **Hypoplastic left heart syndrome: from fetus to fontan.** *Cardiology in the Young.* 2018;28(11) 1275-1288.

Schweiger M, Huebler M. **Mechanical Circulatory Support as Bridge to Pediatric Heart Transplantation.** *InTech.* 2018 Chapter 7

Shea S, Spitzer K, Carroll M, et al. **Quantification and Distribution of Thrombus Burden in Berlin Heart Pumps.** *J Heart Lung Transpl* 2018;37(4), S407-S408.

Shih R, Phillips J, Tsifansky M, et al. **Early Implantation of Ventricular Assisted Devices (VADs) in Failing Single Ventricle Physiology Patients Can Lead to Better Outcomes in Pediatric Heart Transplantation.** *J Heart Lung Transpl* 2018;37(4), S408.

Taira M, Ueno T, Kido T, et al. **Long Term Results of Mechanical Circulatory Support as Bridge to Transplant in Severe Heart Failure Pediatric Patients.** *J Heart Lung Transpl* 2018;37(4), S409.

Van Dorn CS, Aganga DO, Johnson JN. **Extracorporeal membrane oxygenation, Berlin, and ventricular assist devices: a primer for the cardiologist.** *Curr Opin Cardiol* 2018;Jan;33(1):87-94.

Villa CR, Morales DLS. **If I only had a heart: The trials and tribulations of ventricular assist device support when missing a ventricle.** *J Thorac Cardiovasc Surg* 2018;156(2),746-747.

Yerebakan C, Sinha P. **Totally in.** *J Thorac Cardiovasc Surg* 2018;156(2),741-742.



Ziegler LA, Sainathan S, Morell VO, Sharma MS. **Total Artificial Heart as Rescue Therapy for Primary Graft Failure in an Infant.** *Ann Thorac Surg* 2018;Apr;105(4):e151-e153.

2017

Arnaoutakis G, Blitzer D, Fuller S et al. **Mechanical circulatory support as bridge to transplantation for the failing single ventricle.** *Ann Thorac Surg* 2017;103(1):193-197.

Beissel DJ, Birnbaum BF, Barnes AP et al. **Use of Mechanical Circulatory Support in Isolated Right Heart Failure: A Bridge to Transplantation.** *Ann Thorac Surg* 2017;104:e155-e156.

Beranger N, Veyrat-Durebex C, Pouard P et al. **BNP response during Berlin Heart support in child: a case report.** *Ann Biol Clin (Paris)* 2017;75:557-561.

Bhatia AK, Yabrodi M, Carroll M, et al. **Utility and correlation of known anticoagulation parameters in the management of pediatric ventricular assist devices.** *World J Cardiol* 2017; 26;9(9):749-756.

Bryant R, Zafar F, Castleberry C, et al. **Transplant survival After Berlin Heart EXCOR support.** *ASAIO J* 2017;63:80-85.

Burki S, Adachi I. **Pediatric ventricular assist devices: current challenges and future prospects.** *Vasc Health Risk Manag* 2017;May 15;13:177-185.

Burrato E, Shi WY, Ye XT, Konstantinov IE. **Ventricular assist devices for the failing univentricular circulation.** *Expert Review of Medical Devices.* 2017;14(6),449-459.

Carlo WF, Villa CR, Lal AK and Morales DL. **Ventricular assist device use in single ventricle congenital heart disease.** *Pediatr Transplant* 2017;21(7).

Davies R. **Identifying children appropriate for bridge-to-transplantation with the Berlin Heart EXCOR.** *J Heart Lung Transplant* 2017;Nov;36(11):1183-1184.

De Rita F, Griselli M, Sandica E, et al. **Closing the gap in paediatric ventricular assist device therapy with the Berlin Heart EXCOR 15-ml pump.** *Interact Cardiovasc Thorac Surg* 2017;24(5):768-771.

Dmitrieva OY, Buchnev AS, Drobyshev AA, Itkin GP. **Hemolysis research of implantable axial flow pump for two -step heart transplantation in children.** *Russ J Transplantology and Artif Organs,* 2017;19(1), 22–27.

Dykes JC, Reinhartz O, Almond CS, et al. **Alternative Strategy for Biventricular Assist Device in an Infant With Hypertrophic Cardiomyopathy.** *Ann Thorac Surg* 2017;104:e155-e156.



Giorni C, Costopoulos M, Bachelot-Loza C, et al. **Platelet-mapping assay for monitoring antiplatelet therapy during mechanical circulatory support in children: A retrospective observational study.** *Res Pract Thromb Haemost* 2017;1(1), 120–127.

Iyengar A, Hung ML, Asanad K, et al. **Association Between Hematologic and Inflammatory Markers and 31 Thrombotic and Hemorrhagic Events in Berlin Heart Excor Patients.** *Pediatr Cardiol* 2017;38(4):770-777.

Jaquiss RD, Humpl T, Canter CE, et al. **Postapproval Outcomes: The Berlin Heart EXCOR Pediatric in North America.** *ASAIO J* 2017;63(2):193-197.

Morales DL, Zafar F, Almond CS, et al. **Berlin Heart EXCOR use in patients with congenital heart disease.** *J Heart Lung Transplant* 2017; 36(11):1209-1216.

Nassar MS, Hasan A, Chila T, et al. **Comparison of paracorporeal and continuous flow ventricular assist devices in children; preliminary results.** *Eur J Cardiothorac Surg* 2017;51(4):709-714.

Ono M. **Ventricular assist device.** *Kyobu Geka* 2017;70(1):16-22.

Pace Napolene C, Cascarano MT, Deorsola L, Valori A. **Ventricular assist device in a failing total cavopulmonary connection: a new step-by-step approach.** *Interactive CardioVascular and Thoracic Surgery.* 2017;26(2),341-342

Poh CL, Chiletto R, Zannino D, et al. **Ventricular assist device support in patients with single ventricles: the Melbourne experience.** *Interact Cardiovasc Thorac Surg* 2017;Aug 1;25(2):310-316.

Perrier S, Parker A, Brizard CP, et al. **Surgical Management of Extensive Perinatal Myocardial Infarction.** *Ann Thorac Surg.* 2017;Dec;104(6):e435-e437.

Rosenthal DN, Lancaster CA, McElhinney DB, et al. **Impact of a modified anti-thrombotic guideline on stroke in children supported with a pediatric ventricular assist device.** *J Heart Lung Transplant* 2017;36(11):1250-1257.

Schweiger M, Stiasny B, Immer F et al. **Cardiac transplantation in a neonate – First case in Switzerland and European overview.** *Clin Transplant* 2017;31(5).

Su JA and Menteeer J. **Outcomes of Berlin Heart EXCOR pediatric ventricular assist device support in patients with restrictive and hypertrophic cardiomyopathy.** *Pediatr Transplant* 2017;Dec;21(8).

VanderPluym J, Robertson C, Joffe A, et al. **Neurologic, neurocognitive, and functional outcomes in children under 6 years treated with the Berlin Heart EXCOR ventricular assist device.** *ASAIO J* 2017;63(2):207-215.



Weymann A, Farag M, Sabashnikov A, et al. **Central Extracorporeal Life Support With Left Ventricular Decompression to Berlin Heart ExcOR: A Reliable "Bridge to Bridge" Strategy in Crash and Burn Patients.** *Artif Organs* 2017;41(6):519-528.

2016

Conway J, VanderPluym C, Jeewa A, et al. **Now how do we get them home? Outpatient care of pediatric patients on mechanical circulatory support.** *Pediatr Transplant* 2016;20(2):194-202.

Di Molfetta A, Filippelli S, Ferrari G, et al. **Berlin Heart EXCOR ventricular assist device: multilayer membrane rupture in a pediatric patient.** *Ann Thorac Surg* 2016;102(2):e129-130.

Di Molfetta A, Ganolfo F, Filippelli S, et al. **The Use of Berlin Heart EXCOR VAD in Children Less than 10 kg: A Single Center Experience.** *Front Physiol* 2016;7:614.

Fukushima N. **Current Status and Future Aspects of Heart Transplantation in Japan.** *Kyobu Geka* 2016;1:65-75. Japanese.

Gossai N, Brown NM, Ameduri R, et al. **Pediatric acquired von Willebrand Disease with Berlin Heart EXCOR ventricular assist device support.** *World J Pediatr Congenit Heart Surg* 2016;7(5):614-618.

Hertzog J, Pearson T, Priest M, et al. **Emergent interhospital transport of pediatric patient with a Berlin Heart device.** *Air Med J* 2016;35(5):314-316.

Hetzer R, Kaufmann F, Delmo Walter EM. **Paediatric mechanical circulatory support with Berlin Heart EXCOR: development and outcome of a 23-year experience.** *Eur J Cardiothorac Surg* 2016;50:203-210.

Jaquiss, RD. **Ventricular Assistant in Restrictive Cardiomyopathy: Making the right connection.** *J Thorac Cardiovasc Surg* 2016;151:e15-16.

Jean-St-Michael E, Chetan D, Schwartz S, et al. **Outcomes in Patients with Persistent Ventricular Dysfunction after Stage I Palliation for Hypoplastic Left Heart Syndrome.** *Pediatr Cardiol* 2016;37:239-247.

Jones MB, Ramakrishnan K, Alfares FA, et al. **Acquired von Willebrand Syndrome: An Under-Recognized Cause of Major Bleeding in the Cardiac Intensive Care Unit.** *World J Pediatr Congenit Heart Surg* 2016;7:711-716.

Kakuta T, Hoashi T, Sakaguchi H, et al. **Early single institutional experience of Berlin Heart EXCOR pediatric ventricular assist device in Japan.** *Circ J* 2016;80:2552-2554.

Neibler RA, Shah TK, Mitchell ME, et al. **Ventricular assist device in single-ventricle heart disease and a superior cavopulmonary anastomosis.** *Artif Organs* 2016;40:180-184.



Rossano JW, Dipchand AI, Edwards LB, et al. **The Registry of the International Society for Heart and Lung Transplantation: Nineteenth Pediatric Heart Transplantation Report – 2016.** *J Heart Lung Transplant* 2016;32(10), 979-988.

Sandica E, Blanz U, Mime L, et al. **Long-term mechanical circulatory support in pediatric patients.** *Artif Organs* 2016;40:225-232.

Shi W, Marasco S, Saxena P, et al. **Outcomes of ventricular assist device implantation in children and young adults: the Melbourne experience.** *ANZ J Surg* 2016;86:996-1001.

Sousa C, Diez V, Del Hoyo D, et al. **Two different sites of membrane rupture in the Berlin Heart EXCOR ventricular assist device.** *Rev Esp Cardiol (Engl Ed)* 2016;69(5):525-527.

Steiner M, Bomgaars L, Massicotte M, Berlin Heart EXCOR Pediatric VAD IDE study investigators. **Antithrombotic therapy in a prospective trial of a pediatric ventricular assist device.** *ASAIO J* 2016;62(6):719-727.

Tunuguntla H, Denfield SW, McKenzie ED, Adachi I. **Mitral valve replacement for inflow obstruction of left ventricular assist device in a child with restrictive cardiomyopathy.** *J Thorac Cardiovasc Surg* 2016;151:e11-13.

Urbańska E, Pawlak S, Grzybowski A, et al. **Temporary left ventricular assistance for extreme postoperative heart failure in two infants with Bland-White-Garland syndrome.** *Kardiochir Torakochirurgia Pol* 2016;13(3):269-272.

Werkkala K, Jokinen J, Soininen L, et al. **Clinical durability of the CARMEDA® BioActive Surface in EXCOR® VAD pumps.** *ASAIO J* 2016;62:139-142.

Weymann A, Farag M, Sabashnikov A, et al. **Central Extracorporeal Life Support With Left Ventricular Decompression to Berlin Heart Excor: A Reliable “Bridge to Bridge” Strategy in Crash and Burn Patients.** *Artificial Organs* 2016;41(6), 519–528.

2015

Adachi I, Burki S, Zafar F, Morales DL. **Pediatric ventricular assist devices.** *J Thorac Dis* 2015;7(12):2194-2202.

Byrnes JW, Bhutta AT, Rettiganti MR, et al. **Steroid therapy attenuates acute phase reactant response among children on ventricular assist device support.** *Ann Thorac Surg* 2015;99:1392-1398.

De Rita F, Hasan A, Haynes S, et al. **Outcome of mechanical cardiac support in children using more than one modality as a bridge to heart transplantation.** *Eur J Cardiothorac Surg* 2015;48:917-922.



Demirozu Z, Kucukaksu D. **Bridging to Heart Transplantation from the Biventricular Pulsatile Berlin Heart EXCOR Assist Device Support in a Patient with Advanced End-Organ Failure.** *J Tehran Heart Cent.* 2015; 27;10(4):201-204.

Erdoes G, Kadner A, Hutter D, Eberle B. **Transcranial Doppler-guided deairing of a pediatric ventricular assist device: experience with twins.** *A A Case Report* 2015;4:5-7.

Fujii Y, Ferro G, Kagawa H, et al. **Is continuous flow superior to pulsatile flow in single ventricle mechanical support? Results from a large animal pilot study.** *ASAIO J* 2015;61:443-447.

Halaweish I, Ohye R, Si M. **Berlin Heart ventricular assist device as a long-term bridge to transplantation in a Fontan patient with failing single ventricle.** *Pediatr Transplant* 2015;19(8):E193-5.

Hoganson DM, Boston US, Gazit AZ, et al. **Successful bridge through transplantation with berlin heart ventricular assist device in a child with failing Fontan.** *Ann Thorac Surg* 2015;99:707-709.

Horne D, Conway J, Rebeyka IM, Buchholz H. **Mechanical circulatory support in univentricular hearts: current management.** *Semin Thorac Cardiovasc Surg Pediatr Annu* 2015;18:17-24.

Jordan L, Ichord R, Reinhartz O, et al. **Neurological complications and outcomes in the Berlin Heart EXCOR Pediatric Investigational Device Exemption trial.** *J Am Heart Assoc* 2015;4:e001429.

Kirklın J. **Advances in mechanical assist devices and artificial hearts for children.** *Curr Opin Pediatr* 2015;27:597-603.

May LJ, Ploutz M, Hollander SA, et al. **A novel pediatric treatment intensity score: development and feasibility in heart failure patients with ventricular assist devices.** *J Heart Lung Transpl*, 2015;34(4), 509–515.

Mascio CE. **The use of ventricular assist device support in children: the state of the art.** *Artif Organs* 2015;39:14-20.

Miller JR, Lancaster TS, Eghtesady P. **Current approaches to device implantation in pediatric and congenital heart disease patients.** *Expert Rev Cardiovasc Ther* 2015;13:417-427.

Zafar F, Jefferies JL, Tjossem CJ, et al. **Biventricular Berlin Heart EXCOR Pediatric Use Across the United States.** *Ann Thorac Surg* 2015;99(4):1328-1334.



2014

Byrnes J, Frazier E, Tang X, et al. **Hemorrhage requiring surgical intervention among children on pulsatile ventricular assist device support.** *Ped Transplant* 2014;18:385-392.

Conway J, St Louis J, Morales DL, et al. **Delineating survival outcomes in children <10 kg bridged to transplant or recovery with the Berlin Heart EXCOR ventricular assist device.** *JACC Heart Fail* 2014;3:70-77.

Costello JP, Diab YA, Philippe-Auguste M, et al. **Acquired von Willebrand syndrome in a child following Berlin Heart EXCOR Pediatric ventricular assist device implantation: case report and concise literature review.** *World J Pediatr Congenit Heart Surg.* 2014;5:592-598.

Davies R, Haldeman S, McCulloch M, Pizarro C. **Ventricular assist devices as a bridge-to-transplant improve early post-transplant outcomes in children.** *J Heart Lung Transplant* 2014;33:704-712.

Hetzer R, Miera O, Photiadis, et al. **Heart transplantation after longest-term support with ventricular assist devices.** *Ann Thorac Surg.* 2014;98:1814-1815.

Hollander S, Hollander A, Rizzuto S, et al. **An inpatient rehabilitation program utilizing standardized care pathways after paracorporeal ventricular assist device placement in children.** *J Heart Lung Transplant* 2014;33:587-592.

Irving C, Crossland D, Hyanes S, et al. **Evolving experience with explantation from Berlin Heart EXCOR ventricular assist device support in children (letter).** *J Heart Lung Transplant* 2014;33:211-213.

Kirklin J, Pearce FB, Dabal R, Carlo W. **Mechanical circulatory support: strategies and outcomes in pediatric congenital heart disease.** *Seminars in Thorac Cardiovasc Surg: Ped Cardiac Surg Ann* 2014;17:62-68.

Lal A, Chen S, Maeda K, et al. **Successful bridge to transplant with a continuous flow ventricular assist device in a single ventricle patient with an aortopulmonary shunt.** *ASAIO J* 2014;60:119-121.

Lorts A, Zafar F, Adachi I, Morales D. **Mechanical assist devices in neonates and infants.** *Sem Thorac Cardiovasc Surg: Ped Cardiac Surg Ann* 2014;17:91-95.

Miera O, Schmitt K, Delmo-Walter E, et al. **Pump size of Berlin Heart EXCOR pediatric device influences clinical outcome in children.** *J Heart Lung Transplant* 2014;33:816-821.

Niebler R, Lew S, Zangwill S, et al. **Incidence and outcome of pediatric patients with intracranial hemorrhage while supported on ventricular assist devices.** *Artif Organs* 2014;38:73-78.

O'Connor M, Rossano J. **Ventricular assist devices in children.** *Current Opinion in Cardiology* 2014;29:113-121.



Sanders D, Sowell S, Park S, et al. **The failing Fontan: What's NEXT...?** *Perfusion (UK)* 2014;29:89-93.
Seitz S, Buchholz H, Rebeyka I, Ross D, West L, Urschel S. **Mechanical ventricular assist device as a bridge to recovery post-ABO-incompatible heart transplantation for failed Fontan circulation.** *Transpl Int.* 2014;27:e54-57.

Sundararajan S, Thiruchelvam T, Hsia T, Karimova A. **New 15-mL ventricular assist device in children with restrictive physiology of the left ventricle.** *J Thoracic Cardiovasc Surg* 2014;147:e79-e80.

Thomas TO, Chandrakasan S, O'Brien M, et al. **The use of a Berlin Heart EXCOR LVAD in a child receiving chemotherapy for Castleman's disease.** *Pediatr Transplant.* 2014;19:E15-E18.

Valeske K, Yerebakan C, Mueller M, Akintuerk H. **Urgent implantation of the Berlin Heart EXCOR biventricular assist device as a total artificial heart in a patient with single ventricle circulation.** *J Thorac Cardiovasc Surg* 2014;147:1712-1714.

Weinstein S, Bello R, Pizarro C, et al. **The use of the Berlin Heart EXCOR in patients with functional single ventricle.** *J Thorac Cardiovasc Surg.* 2014;147:697-704.

2013

Adachi I, Fraser CD. **Berlin Heart EXCOR Food and Drug Administration Investigational Device Exemption Trial.** *Semin Thorac Cardiovasc Surg.* 2013;25(2):100-106.

Almond CD, Morales DL, Blackstone EH, et al. **Berlin Heart EXCOR Pediatric Ventricular Assist Device for Bridge to Heart Transplantation in US Children.** *Circulation.* 2013;127(16):1702-1711.

Annich G, Adachi I. **Anticoagulation for pediatric mechanical circulatory support.** *Pediatr Crit Care Med.* 2013;14(5 SUPPL):S37-S42.

Botha P, Solana R, Cassidy J, et al. **The impact of mechanical circulatory support on outcomes in paediatric heart transplantation.** *Eur J Cardio-Thorac* 2013;44(5), 836–840.

Bronicki RA, Checchia PA. **Advances in Pediatric Cardiac Intensive Care.** *Pediatr Clin North Am.* 2013;60(3):655-667.

Byrnes JW, Prophan P, Williams BA, et al. **Incremental reduction in the incidence of stroke in children supported with the Berlin EXCOR Ventricular Assist Device.** *Ann Thorac Surg.* 2013;96:1727-1733.

Carpenter BA, Gonzalez CJ, Jessen SL, et al. **A brief review of ventricular assist devices and a recommended protocol for pathology evaluations.** *Cardiovasc Pathol.* 2013;22(5):408-415.

Cassidy J, Dominguez T, Haynes S, et al. **A longer waiting game: Bridging children to heart transplant with the Berlin Heart EXCOR device—the United Kingdom experience.** *J Heart Lung Transpl,* 2013;32(11), 1101–1106.



Cooper DS, Pretre R. **Clinical management of pediatric ventricular assist devices.** *Pediatr Crit Care Med.* 2013;14(5 SUPPL):S27-S36.

Dedieu N, Giardini A, Steward C, et al. **Successful mechanical circulatory support for 251 days in a child with intermittent severe neutropenia due to Barth syndrome.** *Pediatr Transplantation* 2013;17:E46-E49.

Dhillon SS, Khoo NS, Quinonez L, Buchholz H. **Spontaneous endogenous microbubbles in a child with berlin heart ventricular assist device.** *ASAIO J.* 2013;59(2):181-182.

Dipchand AI, Kirk R, Edwards LB, et al. **The Registry of the International Society for Heart and Lung Transplantation: Sixteenth Pediatric Heart Transplantation Report – 2013.** *J Heart Lung Transplant* 2013; 32(10), 979-988.

Eghtesady P, Almond CSD, Tjossem C, et al. **Post-transplant outcomes of children bridged to transplant with the berlin heart EXCOR pediatric ventricular assist device.** *Circulation.* 2013;128(SUPPL.1):S24-S31.

Fraser CD, Jaquiss RDB. **The berlin heart EXCOR pediatric ventricular assist device: History, north american experience, and future directions.** *Ann N Y Acad Sci.* 2013;1291(1):96-105.

George CLS, Ameduri RK, Reed RC, et al. **Long-term use of ventricular assist device as a bridge to recovery in acute fulminant myocarditis.** *Ann Thorac Surg.* 2013;95(3):e59-e60.

Hansen G, Conradi A, Lequier L, et al. **Safety of berlin heart EXCOR pump changes in the PICU.** *Pediatr Crit Care Med.* 2013;14(1):50-54.

Milano CA, Simeone AA. **Mechanical circulatory support: Devices, outcomes and complications.** *Heart Fail Revs.* 2013;18(1):35-53.

Moazami N, Fukamachi K, Kobayashi M, et al. **Axial and centrifugal continuous-flow rotary pumps: a translation from pump mechanics to clinical practice.** *J Heart Lung Transplant* 2013;32:1-11.

O'Connor MJ, Harville TO, Rhodes-Clark B, et al. **Quantification, identification, and relevance of anti-human leukocyte antigen antibodies formed in association with the berlin heart ventricular assist device in children.** *Transplantation.* 2013;95(12):1542-1547.

Orr Y, Jeewa A, McGarry C, et al. **Upsizing of a Berlin Heart EXCOR pediatric left ventricular assist device to achieve adequate flow requirement.** *J Heart Lung Transplant.* 2013;32(8):845-846.

Permut LC, McMullan DM, Soriano BD. **Long-term mechanical cardiac assist in children: A work in progress.** *J Am Soc Echocardiogr.* 2013;26(1):50-51.

Polito A, Netto R, Soldati M, et al. **Neurological complications during pulsatile ventricular assistance with the berlin heart EXCOR in children: incidence and risk factors.** *Artif Organs* 2013;37:851-856.



Prodhan P, Bhutta AT, Gossett JM, et al. **Comparative effects of ventricular assist device and extracorporeal membrane oxygenation on renal function in pediatric heart failure.** *Ann Thor Surg.* 2013.

Rutledge JM, Chakravarti S, Massicotte MP, et al. **Antithrombotic strategies in children receiving long-term Berlin Heart EXCOR ventricular assist device therapy.** *J Heart Lung Transplant.* 2013;32(5):569-573.

Sachdeva R, Frazier EA, Jaquiss RDB, et al. **Echocardiographic evaluation of ventricular assist devices in pediatric patients.** *J Am Soc Echocardiogr.* 2013;26(1):41-49.

Schwartz SM, Schmidt A. **Medical and nursing care of the child on mechanical circulatory support.** *Pediatr Crit Care Med.* 2013;14(5 SUPPL):S27-S36.

Siehr SL, Bernstein D, Yeh J, et al. **Orthotopic heart transplantation in two infants with histiocytoid cardiomyopathy and left ventricular non-compaction.** *Pediatr Transplant.* 2013;17(7):E165-E167.

Stein ML, Bruno JL, Konopack KL, et al. **Cognitive outcomes in pediatric heart transplant recipients bridged to transplantation with ventricular assist devices.** 2013 *J Heart Lung Transplant* 32;212-220.

Stiller B, Adachi I, Fraser CD. **Pediatric Ventricular Assist Devices.** *Pediatr Crit Care Med.* 2013;14(5 SUPPL):S20-S26.

Woolley JR, Dady S, Spinnato J, et al. **First berlin heart EXCOR pediatric VAD interhospital transports of nonambulatory patients with the Ikus stationary driver.** *ASAIO J.* 2013;59(5):537-541.

Zaccagni HJ, Timpa JG, O'Meara LC, Alten JA. **Long-term membrane oxygenator use to support an infant with acute respiratory distress syndrome on biventricular assist device.** *Interact Cardiovasc Thorac Surg.* 2013;17(1):196-198.

2012

Addonizio, L. **Pediatric ventricular assist devices – first steps for babies.** *N Engl J Med* 2012;367:567-568.

Aggarwal A. **Are blood stream infections associated with an increased risk of hemorrhagic stroke in patients with a left ventricular assist device?** *ASAIO J* 2012;58:509-513.

Botha P, Hasan A, Perri G, et al. **Modified technique for the implantation of Berlin Heart Excor ventricular assist device in children.** *World J Ped Cong Heart Surg* 2012;3:373-376.

Chen JM, Richmond ME, Charette K, et al. **A decade of pediatric mechanical circulatory support before and after cardiac transplantation.** *J Thorac Cardiovasc Surg* 2012;143:344-351.

Elias ER, Murphy NA, Council on Children with Disabilities. **Home care of children and youth with complex health care needs and technology dependencies.** *Pediatrics* 2012;129:996-1005.



Fraser CD, et al. **Prospective trial of a pediatric ventricular assist device.** *N Engl J Med* 2012;367:532-541.

Haneya A, Phillipp A, Puehler T, et al. **Ventricular assist device implantation in patients on percutaneous extracorporeal life support without switching to conventional cardiopulmonary bypass system.** *Eur J Cardio Thorac Surg* 2012;41:1366-1370.

Hanke S, Gardner AB, Lombardi JP, et al. **Left ventricular noncompaction cardiomyopathy in Barth Syndrome: an example of an undulating cardiac phenotype necessitating mechanical circulatory support as a bridge to transplantation.** *Pediatr Cardiol* 2012;33:1430-1434.

Kato T, Schultze PC, Yang J, et al. **Pre-operative and post-operative risk factors associated with neurologic complications in patients with advanced heart failure supported by a left ventricular assist device.** *J Heart Lung Transplant* 2012;31:1-8.

Kirk R, Dipchand AI, Edwards LB, et al. **The Registry of the International Society for Heart and Lung Transplantation: Fifteenth Pediatric Heart Transplantation Report – 2012.** *J Heart Lung Transplant* 2012;31(10), 1065-1072.

Kirklin JK, Pearce FB, Dabia RJ, et al. **Cardiac transplantation and mechanical support for functional single ventricle.** *World J Ped Cong Heart Surg* 2012;3:183-193.

Kirklin JK, Naftel DC, Kormos RL, et al. **The Fourth INTERMACS annual report: 4,000 implants and counting.** *J Heart Lung Transplant* 2012;31:117-126.

Kirklin JK, Pearce FB, Pamboukian SV, et al. **Implantation of the HeartWare HVAD in a child after a recent thromboembolic stroke.** *Ann Thorac Surg* 2012;93:977-978.

Kovach JR, Naftel DC, Pearce FB, et al. **Comparison of risk factors and outcomes for pediatric patients listed for heart transplantation after bidirectional Glenn and after Fontan: an analysis from the Pediatric Heart Transplant Study.** *J Heart Lung Transplant* 2012;31:133-139.

Monagle P, Chan AKC, Goldernberg NA, et al. **Antithrombotic therapy in neonates and children – antithrombotic therapy and prevention of thrombosis 9th ed: American College of Chest Physicians Evidence-based Clinical Practice Guidelines.** *Chest* 2012;141:Suppl e737S-e801S.

Ranucci M, Barushnikova E, Crapelli GB, et al. **Preoperative antithrombin supplementation in cardiac surgery: a randomized controlled trial.** *J Thorac Cardiovasc Surg* 2012;12:1215-1219.

Sharma V, Deo SV, Stulak JM, et al. **Driveline infections in left ventricular assist devices: implications for destination therapy.** *Ann Thorac Surg* 2012; in press.

Sharma V, Forbess JM, Guleserian KJ. **Ventricular assist device support in children and adolescents with heart failure: The Children's Medical Center of Dallas experience.** *Art Organ* 2012;36:635-648.



Teuteberg JJ, et al. **Risk assessment for continuous flow left ventricular assist devices: does the destination therapy risk score work?: an analysis of over 1,000 patients.** *J Am Coll Cardiol* 2012;60:44-51.

Tweddel JS, et al. **Intermediate-term mortality and cardiac transplantation in infants with single-ventricle lesions: Risk factors and their interaction with shunt type.** *J Thorac Cardiovasc Surg* 2012;144:152-159.

Wang Y, et al. **Decision tree for adjuvant right ventricular support in patients receiving a left ventricular assist device.** *J Heart Lung Transplant* 2012;31:140-149.

Wray J, et al. **Perceived quality of life of children after successful bridging to heart transplantation.** *J Heart Lung Transplant* 2012;31:381-386.

Yu X, et al. **The profile of the systemic inflammatory response in children undergoing ventricular assist device support.** *Interact Cardiovasc Thorac Surg* 2012;15:426-431.

2011

Almond CS, Buchholz H, Massicotte P, et al. **Berlin Heart EXCOR Pediatric ventricular assist device Investigational Device Exemption study: Study design and rationale.** *American Heart Journal*, 2011;162(3), 425–435.e6.

Bahrainwala Z, et al. **Intraoperative Hemoglobin Levels and Transfusion Independently Predict Stroke After Cardiac Operations.** *Ann Thorac Surg* 2011;91:1113-9.

Baldwin T, Borovetz H, Duncan B, et al. **The National Heart, Lung and Blood Institute Pediatric Circulatory Support Program: A Summary of the 5-Year Experience.** *Circulation* 2011;123:1233-1240.

Beitzke D, Wieselthaler G, Schima H, Loewe C. **Pulmonary embolism in a patient with biventricular assist device – imaging with multislice computed tomography.** *Eur J Cardiothorac Surg* 2011;39:415-

Bogaev R, et al. **Comparison of outcomes in women versus men using a continuous-flow left ventricular assist device as a bridge to transplantation.** *J Heart Lung Transplant* 2011;30:515-22.

Boyle A, et al. **Clinical outcomes for continuous-flow left ventricular assist device patients stratified by pre-operative INTERMACS classification.** *J Heart Lung Transplant* 2011;30:402-7.

Bryant R, Steiner M, St. Louis J.: **Current Use of the EXCOR Pediatric Ventricular Assist Device.** *J of Cardiovasc Trans Res* 2011;3:612-617.

Cassidy J, et al. Abstract **Mechanical Circulatory Support(MCS) as a Bridge to Transplantation in Children with Univentricular Physiology: What Have We Learned?.** *J Heart Lung Transplantation* 2011;30(4S):329



Chen Y, Sharp K. **A Strain-Based Flow-Induced Hemolysis Prediction Model Calibrated by In Vitro Erythrocyte Deformation Measurements.** *Artif Organs* 2011;35(2):145-156.

Cheung A, et al. **Off-Pump Implantation of the HeartWare HVAD Left Ventricular Assist Device Through Minimally Invasive Incisions.** *Ann Thorac Surg* 2011;91:1294-6.

Davies RR, et al. **The Fontan procedure: Evolution in technique; attendant imperfections and transplantation for "failure".** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2011;14:155-166.

Dobbels F, Hilde B, Bart M. **To "pump up" quality of life and exercise performance studies in patients with left ventricular assist devices.** *J Heart Lung Transplant* 2011;30:141-143.

Drews T, Dandel M, Krabatsch T, et al. **Long-Term Mechanical Circulatory Support in 198 Patients: Largest Single-Center Experience Worldwide.** *ASAIO Journal* 2011;57:9-16.

Everitt M, et al. **Would access to device therapies improve transplant outcomes for adults with congenital heart disease? Analysis of the United Network for Organ Sharing (UNOS).** *J Heart Lung Transplantation* 2011;30:395-401.

Fan Y. **Predictors of in-hospital mortality in children after long-term ventricular assist device insertion.** *J Am Coll Cardiol* 2011;58:1183-1190.

Gandhi R, Almond C, Singh T, et al. **Factors associated with in-hospital mortality in infants undergoing heart transplantation in the United States.** *J Thorac Cardiovasc Surg* 2011; 141:531-536.

Garcia-Rodriguez L, Lin K, Hernandez-Diaz S, Johansson S. **Risk of Upper Gastrointestinal Bleeding With Low-Dose Acetylsalicylic Acid Alone and in Combination With Clopidogrel and Other Medications.** *Circulation* 2011;123:1108-1115.

Goda A, et al. **Aortic Valve Procedures at the Time of Ventricular Assist Device Placement.** *Ann Thorac Surg* 2011;91:750-4.

Gregoric I, Cohn W, Frazier O. **Diaphragmatic implantation of the HeartWare ventricular assist device.** *J Heart Lung Transplantation* 2011;30:467-70.

Hannan M, et al. **Working formulation for the standardization of the definitions of infections in patients using ventricular assist devices.** *J Heart Lung Transplantation* 2011;30:375-84.

Heilmann C, et al. **Supportive psychotherapy for patients with heart transplantation or ventricular assist devices.** *Eur J Cardiothorac Surg* 2011;39:e44-e50.

Huebler M, et al. **Pediatric heart transplantation: 23-year single-center experience.** *Eur J Cardiothorac Surg* 2011;39:e83-e89.

Jaquiss R, Imamura M. **Implantation of a Berlin Heart Assist Device.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2011;14:120-125.



John R, et al. **Outcomes of a multicenter trial of the Levitronix CentriMag ventricular assist system for short-term circulatory support.** *J Thorac Cardiovasc Surg* 2011;141:932-9.

Johnson C, Vandenberghe S, Daly A, et al. **Biocompatibility Assessment of the First Generation PediaFlow Pediatric Ventricular Assist Device.** *Artif Organs* 2011;35(1):9-21.

Kar B, Gregoric I, Basra S, Idelchik G, Loyalka P. **The Percutaneous Ventricular Assist Device in Severe Refractory Cardiogenic Shock.** *J Am Coll cardiol* 2011;57:688-696.

Karimova A, et al. Abstract **Right Heart Failure in Children Bridged to Transplantation with Ventricular Assist Devices: Is It a Problem?** *J Heart Lung Transplantation* 2011;30(4S):328.

Karimova A, et al. **Mechanical bridging to orthotopic heart transplantation in children weighing less than 10 kg: feasibility and limitations.** *Eur J Cardiothorac Surg* 2010, doi:10.1016/j.ejcts.2010.05.015.

Kirk R, et al. **The Registry of the International Society for Heart and Lung Transplantation: Fourteenth pediatric heart transplantation report – 2011.** *J Heart Lung Transplant* 2011;30:1095-1103.

Kirklin J, et al. **Third INTERMACS Annual Report: The evolution of destination therapy in the United States.** *J Heart Lung Transplantation* 2011;30:115-23.

Krabatsch T, et al. **Evaluation of the HeartWare HVAD Centrifugal Pump for Right Ventricular Assistance in an *In Vitro* Model.** *ASAIO Journal* 2011;57:000-000.

Kugler C, et al. **Health-related quality of life and exercise tolerance in recipients of heart transplants and left ventricular assist devices: A prospective, comparative study.** *J Heart Lung Transplant* 2011;30:204-10.

Kukucka M, et al. **Acute impact of left ventricular unloading by left ventricular assist device on the right ventricle geometry and function: Effect of nitric oxide inhalation.** *J Thorac Cardiovasc Surg* 2011;141:1009-14.

Lu Q, Malinauskas R. **Comparison of Two Platelet Activation Markers Using Flow Cytometry After *In Vitro* Shear Stress Exposure of Whole Human Blood.** *Artif Organs* 2011;35(2):137-144.

McMullan D, et al. **Minimizing bleeding associated with mechanical circulator support following pediatric heart surgery.** *Eur J Cardiothorac Surg* 2010, doi:10.1016/j.ejcts.2010.7.027.

Meyns B, et al. **Clinical benefits of partial circulatory support in New York Heart Association Class IIIB and Early Class IV patients.** *Eur J Cardiothorac Surg* 2011;39:693-698.

Miera O, et al. **First Experiences With the HeartWare Ventricular Assist System in Children.** *Ann Thorac Surg* 2011;91:1256-60.

Mokadam N, Andrus S, Ungerleider A. **Thrombus formation in a HeartMate II.** *Eur J Cardiothorac Surg* 2011;39:414.



Morales D, Almond CS, Jaquiss RD, et al. **Bridging children of all sizes to cardiac transplantation: The initial multicenter North American experience with the Berlin Heart EXCOR ventricular assist device.** *J Heart Lung Transplant* 2011;30:1-8.

Nakajima I, Kato TS, Komamura K, et al. **Pre- and post-operative risk factors associated with cerebrovascular accidents in patients supported by left ventricular assist device.** 2011 75;1138-1146.

Nguyen K. **A technique for implanting outflow cannula for Berlin Heart EXCOR ventricular assist device in small pediatric patients.** *J Thorac Cardiovasc surg* 2011 Jul;142(1) 223-4.

Pauwaa S, Raghuvir R, Kurien S, et al. **Intermittent Aortic Insufficiency as an Aid to Diagnosing Obstruction in a HeartMate II Continuous-Flow Left Ventricular Assist Device.** *ASAIO Journal* 2011;57:244-246.

Potapov E, Huebler M, Morawietz L, Hetzer R. **Connective tissue overgrowth on a titanium plug inserted to facilitate left ventricular assist device explantation.** *J Heart Lung Transplantation* 2011;30:235-6.

Potapov E, Krabatsch T, Ventura H, Hetzer R. **Advances in mechanical circulatory support: Year in review.** *J Heart Lung Transplantation* 2011;30(5):487-493.

Prassad A, Herrmann J. **Myocardial Infarction Due to Percutaneous Coronary Intervention.** *N Engl J Med* 2011;364:453-64.

Romans T, Stulak J, Cowger J, Haft J, Romano M, Aaronson K, Pagani F.: **Does Delayed Sternal Closure Late Infection Risk in Patients Undergoing Left Ventricular Assist Device Implantation?** *J Heart Lung Transplantation* 2011;30(4S):116.

Salamonsen R, Mason D, Ayre P.: **Response of Rotary Blood Pumps to Changes in Preload and Afterload at a Fixed Speed Setting Are Unphysiological When Compared With the Natural Heart.** *Artif Organs* 2011;35(3):E47-E53.

Saito S, Sakaguchi T, Miyagawa S, et al. **Biventricular support using implantable continuous-flow ventricular assist devices.** *J Heart Lung Transplantation* 2011;30:475-8.

Schaffer J, Allen JG, Weiss ES, et al. **Infectious complications after pulsatile-flow and continuous-flow left ventricular assist device implantation.** *J Heart Lung Transplantation* 2011;30:164-74.

Schaffer J, Arnaoutakis GJ, Allen JG, et al. **Bleeding Complications and Blood Product Utilization With Left Ventricular Assist Device Implantation.** *Ann Thorac Surg* 2011;91:740-9.

Shah K, Parameshwar J. **Advances in heart transplantation: The year in review.** *J Heart Lung Transplantation* 2011;30:241-6.



Sirois E, Sun W. **Computational Evaluation of Platelet Activation Induced by a Bioprosthetic Heart Valve.** *Artif Organs* 2011;35(2):157-165.

Stepanenko A, Potapov E, Krabatsch T, Hetzer R. **Simple Implantation of a temporary Right Ventricular Device for Right Ventricular Failure After Left Ventricular Device Implantation via a Left Lateral Thoracotomy.** *ASAIO Journal* 2011;57:17-18.

Strueber M, O'Driscoll G, Jansz P, et al. **Multicenter Evaluation of an Intrapericardial Left Ventricular Assist System.** *J Am Coll Cardiol* 2011;57:1375-82.

VanderPluym C, Rebeyka I, Ross D, Buchholz H. **The use of ventricular assist device in pediatric patients with univentricular hearts.** *J Thorac Cardiovasc Surg* 2011;141:588-90.

2010

Abstract Issue: **The international Society for Heart and Lung Transplantation Thirtieth Annual meeting and Scientific Sessions.** *J Heart Lung Transplant* 2010; Supplement February 2010 No. 2.

Camboni D, Philipp A, Haneya A, et al. **Serial Use of an Interventional Lung Assist Device and a Ventricular Assist Device.** *ASAIO J* 2010;56:1-3.

Cavanaugh J, Miyamoto S, da Cruz E, et al. **Predicting recovery: Successful explant of a ventricular assist device in a child with dilated cardiomyopathy.** *J Heart Lung Transplant* 2010;29:1005-108.

Fan Y, Weng YG, Xiao YB, et al. **Outcomes of ventricular assist device support in young patients with small body surface area.** *Eur J Cardiothorac Surg* 2010, doi:10.1016/j.ejcts.2010.08.031.

Gossett J, Canter C, Zheng J, and the Pediatric Heart Transplantation Study Investigators, et al. **Decline in rejection in the first year after pediatric cardiac transplantation: A multi-institutional study.** *J Heart Lung Transplant* 2010;29:625-32.

Hosenie A, Hasan A, O'Brien C, et al. **Respiratory Morbidity Associated with the Berlin Heart in Children.** *J Heart Lung Transpl* 2010;29(2), S169–S169.

Humpl T, Furness S, Gruenwald C, et al. **The Berlin Heart EXCOR Pediatrics—The SickKids Experience 2004-2008.** *Artif Organs* 2010;34(12):1082-1086.

Ignjatovic V, Najid S, Newall F, et al. **Dosing and monitoring of enoxaparin (low molecular weight heparin) therapy in children.** *Brit J Haem* 2010;149:734-738.

Ignjatovic V, Straka E, Summerhayes R, Monagle P. **Age-specific differences in binding of heparin to plasma proteins.** *J Thromb Haemost* 2010;8:1290-1294.



Jaquiss RDB, Imamura M. **Berlin Heart Implantation for Congenital Heart Defects.** *Oper Techn Thorac Cardiovasc Sur* 2010;15(2), 162–171.

Jeewa A, Manlhiot C, McCrindle B, et al. **Outcomes With Ventricular Assist Device Versus Extracorporeal Membrane Oxygenation as a Bridge to Pediatric Heart Transplantation.** *Artif Organs* 2010;34(12):1087-1091.

Kirk R, Edwards LB, Kucheryavaya AY, et al. **The registry of the International Society for Heart Lung Transplantation: Thirteenth official pediatric heart transplantation report – 2010.** *J Heart Lung Transplant* 2010;29:1119-1128.

Lee S, Kamdar F, Madlon-Kay R, et al. **Effects of the HeartMate II continuous-flow left ventricular assist device on right ventricular function.** *J Heart Lung Transplant* 2010;29:209-15.

Meyer A, Malesha D, Bara C, et al. **Acquired von Willebrand's Syndrome in Patients with an Axial Flow Left Ventricular Assist Device.** *Circ Heart Fail* 2010;3:675-681.

Morales D, Zafar F, Rossano J, et al. **Use of Ventricular Assist Devices in Children Across the United States: Analysis of 7.5 Million Pediatric Hospitalizations.** *Ann Thorac Surg* 2010;90:1313-1319.

Nair P, Kormos R, Teuteberg J, et al. **Pulsatile left ventricular assist device support as bridge to decision in patients with end-stage heart failure complicated by pulmonary hypertension.** *J Heart Lung Transplant* 2010;29:201-8.

O'Connor M, Menteer JD, Chrisant M, et al. **Ventricular assist device-associated anti-human leukocyte antigen antibody sensitization in pediatric patients bridged to heart transplantation.** *J Heart Lung Transplant* 2010;29:109-116.

Schoof S, Bertram H, Hohmann D, et al. **Takotsubo Cardiomyopathy in a 2-Year-Old Girl: 3-Dimensional Visualization of Reversible Left Ventricular Dysfunction.** *J Am Coll Cardiol* 2010;55(3):e5.

Schmitz C, Sodian R, Malec E, et al. **Successful implantation of a Berlin Heart ventricular assist device in a ventricular heart failure 23 years after Senning operation.** *J Thorac Cardiovasc Surg* 2010;139:e30-31.

Shindo T, Alejos JC, Halnon. **Predictors Of Complications After Heart Transplantation In Pediatric Patients With Restrictive Cardiomyopathy.** *The Journal of Heart and Lung Transplantation* 29.2 (2010): S169.

Shuhaiber J, Hur K, Gibbons R. **The influence of preoperative use of ventricular assist devices on survival after heart transplantation: propensity score matched analysis.** *BMJ* 2010;340:c392.(online)

Staveski S, Rosenthal D, Roth S, et al. **Comprehensive Interdisciplinary Care Coordination for Young Children on Berlin Heart Ventricular Assist Devices.** Poster



Stein ML, Robbins R, Sabati A, et al. **INTERMACS Defined Morbidity and Mortality Associated with Pediatric VAD Support at a Single US Center: Stanford Experience.** *Circ Heart Fail* 2010 Nov;3(6):682-8.

Tjan T, Hoffmeier A, Scheld H, Klotz S. **Ventricular assist device implantation in neonates: Adjustment of the Berlin Heart EXCOR arterial cannula with bovine pericardium.** *J Thorac Cardiovas Surg* 2010;139(3):783-4.

Torre-Amione G, Southard R, Loebe M, et al. **Reversal of secondary pulmonary hypertension by axial and pulsatile mechanical circulatory support.** *J Heart Lung Transplant* 2010;29:195-200.

Uriel N, Pak S-W, Jorde UP, et al. **Acquired von Willebrand Syndrome after continuous-flow mechanical device support contributes to a high prevalence of bleeding during long-term support and at the time of transplantation.** *J Am Coll Cardiol* 2010;56:1207-1213.

2009

Almond CSD, Thiagarajan RR, Piercey GE, et al. **Waiting list mortality among children listed for heart transplantation in the United States.** *Circulation* 2009;119:717-727.

Anderson E, Jaraszewski D, Pierce C, et al. **Parallel Application of Extracorporeal Membrane Oxygenation and the CardioWest Total Artificial Heart as a Bridge to Transplant.** *Ann Thorac Surg* 2009;88:1676-1678.

Baldwin JT: **Introduction.** *ASAIO J* 2009;55:1-2.

Bailey L. **The Evolution of Infant Heart Transplantation.** *J Heart Lung Transplant* 2009;28(12):1241-5.

Bauman ME, et al. **Evaluation of enoxaparin dosing requirements in infants and children.** *Thromb Haem* 2009; 101:86-92.

Bhavsar SS, Kapadia JY, Chopski SG, Throckmorton AL. **Intravascular mechanical cavopulmonary assistance for patients with failing Fontan physiology.** *Artif Organs* 2009;33:977-987.

Bove A. **President's Page: Comparative Effectiveness.** *J Am Coll Cardiol* 2009;54:220-2201.

Boyle A. **Current Status of Cardiac Transplantation and Mechanical Circulatory Support.** *Current Heart Failure Reports* 2009;6:28-33.

Cardarelli MG, Salim M, Love J, et al. **Berlin Heart as a Bridge to Recovery for a Failing Fontan.** *Ann Thorac surg* 2009;87:943-946.

Carney E, Animal Models Working Group. **Animal Models for Pediatric Circulatory Support Device Pre-Clinical Testing: National Heart, Lung and Blood Institute Pediatric Assist Device Contractor's Meeting Animal Models Working Group.** *ASAIO J* 2009;55:6-9.



Carney E, Clark B, Myers J, et al. **Animal Model Development for the Penn State Pediatric Ventricular Assist Device.** *Artif Organs* 2009;33(11):953-957.

Cassidy J, Haynes S, Kirk R, et al. **Changing Patterns of Bridging to Heart Transplantation in Children.** *J Heart Lung Transplant* 2009;28:249-254.

Dipchand A, Naftel D, Feingold B, the Pediatric Heart Transplant Study Investigators, et al. **Outcomes of Children With Cardiomyopathy Listed for Transplant: A Multi-institutional Study.** *J Heart Lung Transplant* 2009;28:1312-21.

Duncan B, Fukamachi K, Noble LD Jr, et al. **The PediPump: A Versatile, Implantable Pediatric Ventricular Assist Device – Update IV.** *Artif Organs* 2009;33(11):1005-1008.

Fang J. **Rise of the Machines – Left Ventricular Assist Devices as Permanent Therapy for Advanced Heart Failure.** *N Eng Journal Med* 2009;361:2282-2285.

Frazier OH, Cohn W, Tuzun E, et al. **Continuous-Flow Total Artificial Heart, Supports Long-Term Survival of a Calf.** *Tex Heart Inst J* 2009;36(6):568-74.

Garcia-Guereta L, Cabo J, de la Oliva P, et al. **Ventricular Assist Device Application With the Intermediate Use of a Membrane Oxygenator as a Bridge to Pediatric Heart Transplantation.** *J Heart Lung Transplant* 2009;28:740-742.

Genovese E, Dew M, Teuteberg J, et al. **Incidence and Patterns of Adverse Event Onset During the First 60 Days After Ventricular Assist Device Implantation.** *Ann Thorac Surg* 2009;88:1162-1170.

Gkouziouta A, Adamopoulos S, Manginas A, et al. **Heart Transplantation in a Low-Organ-Donation Environment: A Single Center Experience.** *Transplant Proc* 2009;41(10):4289-93.

Griffiths ER, et al. **Evaluating failing Fontans for heart transplantation: predictors of death.** *Ann Thorac Surg* 2009;88:558-564.

Haines NM, Rycus PT, Zwischenberger JB, et al. **Extracorporeal Life Support Registry Report 2008: Neonatal and Pediatric Cardiac Cases.** *ASAIO J* 2009;55:111-116.

Imamura M, Dossey AM, Prophan P, et al. **Bridge to Cardiac Transplant in Children: Berlin Heart versus Extracorporeal Membrane Oxygenation.** *Ann Thorac Surg* 2009;87:1894-1901.

Irving CA, Cassidy JV, Kirk RC, et al. **Successful Bridge to Transplant with the Berlin heart after Cavopulmonary Shunt.** *J Heart Lung Transplant* 2009;28:399-401.

Lamour JM, et al. **The effect of age, diagnosis, and previous surgery in children and adults undergoing heart transplantation for congenital heart disease.** *J Am Coll Cardiol* 2009;54:160-165.

John R, Panch S, Hrabe J, et al. **Activation of Endothelial and Coagulation Systems in left Ventricular Assist Device Recipients.** *Ann Thorac Surg* 2009;88:1171-1179.



Jones CB, Cassidy JV, Kirk R, et al. **Successful Bridge to Recovery With 120 Days of Mechanical Support in an Infant With Myocarditis.** *J Heart Lung Transplant* 2009;28:202-205.

Kirk R, Edwards LB, Aurora P, et al. **Registry of the International Society for Heart and Lung Transplantation: Twelfth Official Pediatric Heart Transplantation Report-2009.** *J Heart Lung Transplant* 2009;28:993-1006.

Komoda T, Lehmkuhl HB, Stiller B, et al. **Pediatric Heart Transplant Candidates With Failed Donor Heart Allocation After Eurotransplant Urgency Listing Profit From Pre-transplant mechanical Circulatory Support Bridging.** *Artif Organs* 2009;33:346-351.

Kouretas PC, Burch PT, Kaza AK, et al. **Management of Deep Wound Complications With Vacuum-Assisted Therapy After Berlin Heart EXCOR Ventricular Assist Device Placement in the Pediatric Population.** *Artif Organs* 2009;33(11):922-5.

Kouretas PC, Kaza AK, Burch PT, et al. **Experience With the Levitronix CentriMag in the Pediatric Population as a Bridge to Decision and Recovery.** *Artif Organs* 2009;33(11):1002-4.

Krokstrom A, Higgins T, Johannson S, Jogi P. **Use of Pediatric Berlin Heart EXCOR Biventricular Device as a Bridge to Retransplantation in a 10-Month-Old Infant with Acute Graft Failure After Cardiac Transplantation.** *ASAIO J* 2009;55:525-6.

Mah D, Singh T, Thiagarajan R, et al. **Incidence and Risk Factors for Mortality in Infants Awaiting Heart Transplantation in the USA.** *J Heart Lung Transplant* 2009;28:1292-8.

McCarthy P. **Partial Mechanical Cardiac Support: Part of the Solution or Part of the Problem?** *J Am Coll Cardiol* 2009;54:87-88.

Miller L. **Is Pulsatile Blood Flow No Longer Essential?** *Circulation* 2009;120:2313-2314.

Pal J, Piacentino V, Cuevas A, Depp T, Daneshmand M, Hernandez A, Felker M, Lodge A, Rogers J Milano C: **Impact of Left Ventricular Assist Device Bridging on Posttransplant Outcomes.** *Ann Thorac Surg* 2009;88:1457-1461.

Patolla V, Patten R, DeNofrio D, et al. **The Effect of Ventricular Assist Devices on Post-Transplant Mortality.** *Jam Coll Cardiol* 2009;53:264-71.

Pearce FB, Kirklin JK, Holman WL, et al. **Successful cardiac transplant after Berlin Heart bridge in a single ventricle heart: Use of aortopulmonary shunt as a supplementary source of pulmonary blood flow.** *J Thorac Cardiovasc Surg* 2009;137:40-2.

Russell S, Rogers J, Milano C, the HeartMate II Clinical Investigators, et al. **Renal and Hepatic Function Improve in Advanced heart Failure Patients During Continuous-Flow Support With the HeartMate II Left Ventricular Assist Device.** *Circulation* 2009;120:2352-2357.

Samuel-Reid J, Cope JU, Morrison AE. **Device safety and effectiveness in the pediatric population: a US FDA perspective.** *Expert Rev Med Devices* 2009;6:131-5.



Schaffer J, Allen J, Weiss E, et al. **Evaluation of Risk Indices in Continuous-Flow Left Ventricular Assist Device Patients.** *Ann Thorac Surg* 2009;88:1889-1896.

Scohy TV, Gommers D, Maat AP, et al. **Intraoperative trans-esophageal echocardiography is beneficial for hemodynamic stabilization during left ventricular assist device implantation in children.** *Paediatr Anaesth* 2009;19:390-395.

Slaughter M, et al. **Advanced heart Failure Treated with Continuous-Flow Left Ventricular Assist Device.** *N Engl J Med* 2009;361:1-11.

Taylor D, Stehlik J, Edwards L, et al. **Registry of the International Society for Heart and Lung Transplantation: Twenty-sixth Official Adult Heart Transplant Report-2009.** *J Heart Lung Transplant* 2009;28:1007-22.

Warnes C. **Adult Congenital Heart Disease: Importance of the Right Ventricle.** *J Am Coll Cardiol* 2009;54:1903-1910.

Webber S. **Pediatric Circulatory Support Contractors' Meeting – Report of the Clinical Trials Working Group.** *ASAIO J* 2009, Special report:10-12.

2008

People Magazine: **Anything for his girl.** 8 December, Page 93-94.

Chan MY, Andreotti F, Becker RC. **Hypercoagulable States in Cardiovascular Disease.** *Circulation* 2008;118:2286-2297.

Davies R, Russo M, Hong K, et al. **The use of mechanical circulatory support as a bridge to transplantation in pediatric patients: An analysis of the United Network for Organ Sharing database.** *J Thorac Cardiovasc Surg* 2008;135:421-427.

Drews T, Jurmann M, Michael D, et al. **Differences in Pulsatile and Non-pulsatile Mechanical Circulatory Support in Long-Term Use.** *J Heart Lung Transplant* 2008;27:1096-101.

Furness S, Hyslop-St George C, Pound B, et al. **Development of an Interprofessional Pediatric Ventricular Assist Device Support Team.** *ASAIO J* 2008;54:483-485.

Gandhi SK, Grady RM, Huddleston CB, et al. **Beyond Berlin: heart transplantation in the "untransplantable".** *J Thorac Cardiovasc Surg* 2008;136:529-531.

Gandhi SK, Huddleston CB, Balzer DT, et al. **Biventricular Assist Devices as a Bridge to Heart Transplantation in Small Children.** *Circulation* 2008;118(Suppl 1):S89-93.



Heise G, Lemmer J, Weng Y, et al. **Biomarker Responses During Mid-term mechanical Cardiac Support in Children.** *J heart Lung Transplant* 2008;27:150-7.

Hernandez AF, Shea AM, Milano CA, et al. **Long-term Outcomes and Costs of Ventricular Assist Devices Among Medicare Beneficiaries.** *JAMA* 2008;300(20):2398-2406.

Kirklin JK. **Mechanical Circulatory support as a Bridge to Pediatric Cardiac Transplantation.** *Semin Thorac Cardiovasc Surg Peadiatr Card Surg Ann* 2008;11:80-5.

Li J, Yow E, Berezny K, et al, for the PICOLO Investigators: **Dosing of Clopidogrel for Platelet Inhibition in Infants and Young Children: Primary Results of the Platelet Inhibition in Children on cLOpidogrel (PICOLO) Trial.** *Circulation* 2008;117:553-559.

Maat AP, van Thiel RJ, Dalinghaus M, Bogers AJ: **Connecting the CentriMag Levitronix Pump to Berlin Heart EXCOR Cannulae; New Approach to Bridge to Bridge.** *J Heart Lung Transplant* 2008;27:112-5.

Malaisrie SC, Pelletier MP, Yun JJ, et al. **Pneumatic Paracorporeal Ventricular Assist Device in Infants and Children: Initial Stanford Experience.** *J Heart lung Transplant* 2008;27:173-7.

Pauliks LB, Undar A. **New devices for pediatric mechanical circulatory support.** *Curr Opin Cardiol* 2008;23:91-96.

Potapov EV, Loforte A, Weng Y, et al. **Experience with over 1000 implanted ventricular assist devices.** *J Card Surg* 2008;23:185-194.

Pretre R, Haussler A, Bettex D, Genoni M. **Right-sided univentricular cardiac assistance in a failing Fontan circulation.** *Ann Thorac Surg* 2008;86:1018-1020.

Rockett SR, Bryant JC, Morrow WR, et al. **Preliminary Single Center North American Experience with the Berlin Heart Pediatric EXCOR Device.** *ASAIO J* 2008;54:479-82.

Russo P, Wheeler A, Russo J, Tobias JD. **Use of a ventricular assist device as a bridge to transplantation in a patient with single ventricle physiology and total cavopulmonary anastomosis.** *Paediatr Anaesth* 2008;18:320-324.

Throckmorton AL, Untaroiu A. **CFD Analysis of a Mag-Lev Ventricular Assist Device for Infants and Children: Fourth Generation Design.** *ASAIO J* 2008;54:423-431.

Schmitz ML, Massicotte P, Faulkner SC, et al. **Management of a Pediatric Patient on the Berlin Heart EXCOR Ventricular Assist Device With Argatroban After Heparin-Induced Thrombocytopenia.** *ASAIO J* 2008;54:546-547.

Seibel K, Berdat P, Boillat C, et al. **Hemostasis Management in Pediatric Mechanical Circulatory Support.** *Ann Thorac Surg* 2008;85:1453-1456.

Warkentin TE, et al. **Bivalirudin.** *Thromb Haemost* 2008;99:830-839.



Yerebakan C, Buz S, Huebler M, et al. **Right Ventricular Failure Following Heart Transplantation – Recovery After Extended Mechanical Support.** *J Card Surg* 2008;23:578-580.

2007

Calvaruso DF, Ocello S, Salviato N, et al. **Implantation of a Berlin Heart as Single Ventricle By-Pass on Fontan Circulation in Univentricular Heart Failure.** *ASAIO J* 2007;53:e1-2.

Chu MW, Sharma K, Tchervenkov CI, et al. **Berlin Heart Ventricular Assist Device in a Child With Hypoplastic Left Heart Syndrome.** *Ann Thorac Surg* 2007;83:1179-1181.

Drews T, Stiller, Hubler M, et al. **Coagulation Management in Pediatric Mechanical Circulatory Support.** *ASAIO J* 2007;53:640-645.

Koster A, et al. **Bivalirudin during cardiopulmonary bypass in patients with previous or acute heparin-induced thrombocytopenia and heparin antibodies: results of the CHOOSE-ON trial.** *Ann Thor Surg* 2007;83:572-577.

Potapov EV, Stiller B, Hetzer R. **Ventricular assist devices in children: Current achievements and future perspectives.** *Pediatr Transplant* 2007;11:241-255.

Riesenfeld J, Ries D, Hetzer R. **Analysis of the heparin coating of an EXCOR Ventricular Assist Device after 855 days in a patient.** *Society for Biomaterial Annual Meeting 2007*

Steenwyk BL, Kirklin JK, Gurley WQ, Nielsen VG. **The Hemostatic History of a 15-Month-Old Child Implanted with a Berlin Heart Left Ventricular Assist Device.** *Anesth Analg* 2007;104:538-540.

Tschirkov A, Nikolov D, Papantchev V. **The Berlin heart EXCOR in a 11-Year-Old Boy: A Bridge to Recovery after Myocardial Infarction.** *Tex Heart Inst J* 2007;34:445-448.

Tsukui H, Abla A, Teuteberg JJ, et al. **Cerebrovascular accidents in patients with a ventricular assist device.** *J Thorac Cardiovasc Surg* 2007;134:114-123.

2006

Almond C, Harrington J, Thiagarajan R, et al. **Successful Use of Bivalirudin for Cardiac Transplantation in a Child With Heparin-induced Thrombocytopenia.** *J Heart Lung Transplant* 2006;25:1376-9.

Arabia FA, Tsau PH, Smith RG, et al. **Pediatric Bridge to heart Transplantation: Application of the Berlin Heart, Medos, and Thoratec Ventricular Assist Devices.** *J Heart Lung Transplant* 2006;25:16-21.



Bernstein D, et al. **Outcome of listing for cardiac transplantation for failed Fontan: A multi-institutional study.** *Circulation* 2006;114:273-280.

Blume ED, et al. **Outcomes of children bridged to heart transplantation with ventricular assist devices: A multi-institutional study.** *Circulation* 2006;113:2313-2319.

Duncan BW. **Pediatric Mechanical Circulatory Support in the United States: Past, Present, and Future.** *ASAIO J* 2006;52:525-529.

Dunnington GH Jr., Sleasman J, Alkhalidi A, et al. **Successful Bridge to Transplant Using the Berlin Heart Left Ventricular Assist Device in a 3-Month-Old Infant.** *Ann Thorac Surg* 2006;81:1116-1118.

Fraser, Jr C, Carberry K, Owens WR, et al. **Preliminary Experience With the MicroMed DeBakey Pediatric Ventricular Assist Device.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2006;9:109-114.

George RS, et al. **Bridge to transplantation with a left ventricular assist device for systemic ventricular failure after mustard procedure.** *Ann Thorac Surg* 2006;83:306-308.

Ghez O, Liesner R, Karimova A, et al. **Subcutaneous Low Molecular Weight Heparin for Management of Anticoagulation in Infants on Excor Ventricular Assist Device.** *ASAIO J* 2006;52:705-707.

Hetzer R, Stiller B. **Technology Insight: Use of ventricular assist devices in children.** *Nat Clin Pract Cardiovasc Med* 2006;3:377-386.

Hetzer R, Potapov EV, Stiller B, et al. **Improvement in Survival After Mechanical Circulatory Support with Pneumatic Pulsatile Ventricular Assist Devices in Pediatric Patients.** *Ann Thorac Surg* 2006;82:917-925.

Hetzer R, Alexi-Meskishvili V, Weng Y, et al. **Mechanical Cardiac Support in the Young with the Berlin Heart EXCOR Pulsatile Ventricular Assist Device: 15 years' Experience.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2006;9:99-108.

Hill D and Reinhartz O. **Clinical Outcomes in Pediatric Patients Implanted With Thoratec Ventricular Assist Device.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 2006;9:115-112.

Hoskote A, Bohn D, Gruenwald C, et al. **Extracorporeal life support after staged palliation of a functional single ventricle: Subsequent morbidity and survival.** *J Thorac Cardiovasc Surg* 2006;131:1114-21.

Hursting M, Dubb J, Verme-Gibboney C. **Argatroban Anticoagulation in Pediatric Patients.** *J Pediatr Hematol Oncol* 2006;28:4-10.

Morales DL, Gunter KS, Fraser CD. **Pediatric mechanical circulatory support.** *Int J Artif Organs* 2006;29:920-937.



Nathan M, Baird C, Fynn-Thompson F, et al. **Successful implantation of a Berlin heart biventricular assist device in a failing single ventricle.** *J Thorac Cardiovas Surg* 2006;131:1407-1408.

Newcomb AE, Negri JC, Brizard CP, d'Udekem Y. **Successful left ventricular assist device bridge to transplantation after failure of a fontan revision.** *J Heart Lung Transplant* 2006;25:365-367.

Potapov EV, Hetzer R. **Pediatric Berlin Heart Excor.** *Ann Thorac Cardiovasc Surg* 2006;12:155.

Rosenthal D, Bernstein D. **Pediatric Mechanical Circulatory Support: Challenges and Opportunities.** *Circulation* 2006;113:2266-2268.

Schmid C, Debus V, Gogarten W, et al. **Pediatric Assist with the Medos and Excor Systems in Small Children.** *ASAIO J* 2006;52:505-508.

Schmid C, Tjan T, Etz C, et al. **The Excor Device - Revival of an Old System with Excellent Results.** *Thorac Cardiovasc Surg* 2006;54:393-399.

Sharma M, Webber S, Morell V, et al. **Ventricular Assist Device Support in Children and Adolescents as a Bridge to Heart Transplantation.** *Ann Thorac Surg* 2006;82:926-932.

Stiller B, Lemmer J, Schuber S, et al. **Management of Pediatric Patients After Implantation of the Berlin Heart EXCOR Ventricular Assist Device.** *ASAIO J* 2006;52:497-500.

Studer MA, et al. **An Alternative Treatment Strategy for Pump Thrombus in the DeBakey VAD Child: Use of Clopidogrel as a Thrombolytic Agent.** *J Heart Lung Transplant* 2006;25:857-861.

Towbin JA, et al. **Incidence, causes, and outcomes of dilated cardiomyopathy in children.** *JAMA* 2006;296:1867-1876.

2005

Camboni D, Schmid C, Rellensmann G, Tjan TD. **Enoxaparin for long-term anticoagulation with the pediatric EXCOR left ventricular assist device.** *Interact Cardiovasc Thorac Surg* 2005;4:561-562.

Eghtesady P, Nelson D, Schwrtz SM, et al. **Heparin-induced thrombocytopenia complicating support by the Berlin Heart.** *ASAIO J* 2005;51:820-825.

El-Banayosy A, Cobaugh D, Zitterman A, et al. **A Multidisciplinary Network To Save the Lives of Severe, Persistent Cardiogenic Shock Patients.** *Ann Thorac Surg* 2005;80:543-7.

Frazier OH, Gregoric ID, Messner GN. **Total circulatory support with an LVAD in an adolescent with a previous Fontan procedure.** *Tex Heart Inst J* 2005;32:402-404.



Eghtesady P. **Editorial letter regarding "Total circulatory support with an LVAD in an adolescent with a previous Fontan procedure."** *Tex Heart Inst J* 2006;32:618-619.

Gregoric I, Kosir R, Smart F, et al. **Left Ventricular Assist Device Implantation in a Patient with Congenitally Corrected Transposition of the Great Arteries.** *Tex Heart Inst J* 2005;32:567-9.

Hetzer R, Potapov B, Stiller B, et al. **Hohere Überlebensrate nach mechanischer Kreilaufunterstützung mittels eines pneumatischen, pulsatilen Unterstützungssystems bei Säuglingen und Kindern.** *Z herz-Thorax- Gefäßchir* 19;1-9 (2005).

John T, Hallisey, Jr R. **Argatroban and Lepirudin Requirements in a 6-Year-Old Patient with heparin-Induced Thrombocytopenia.** *Pharmacotherapy* 2005;25(10):1383-1388.

Kaczmarek I, Sachweh J, Groetzner J, et al. **Mechanical circulatory support in pediatric patients with the MEDOS assist device.** *ASAIO J* 2005;51:498-500.

Kaczmarek I, Mair H, Groetzner J, et al. **Mechanical Circulatory Support in Infants and Adults With the MEDOS/HIA Assist Device.** *Artif Organs* 2005;51:498-500.

Minami K, Knyphausen E, Suzuki R, et al. **Mechanical ventricular circulatory support in children: Bad Oeynhausen experience.** *Ann Thorac Cardiovasc Surg* 2005;11:307-312.

Pekkan K, Frakes D, de Zelicourt D, et al. **Coupling Pediatric Ventricle Assist Devices to the Fontan Circulation: Simulations with a Lumped-Parameter Model.** *ASAIO J* 2005;51:618-628.

Reinhartz O, Hill JD, Al-Khaldi A, et al. **Thoratec Ventricular Assist Devices in Pediatric Patients: Update on Clinical Results.** *ASAIO J* 2005;51:501-503.

Sharma M, Webber S, Ghandi S, et al. **Pulsatile Paracorporeal Assist Devices in Children and Adolescents with Biventricular Failure.** *ASAIO J* 2005;51:490-494.

Stiller B, Weng Y, Hubler M, et al. **Pneumatic pulsatile ventricular assist devices in children under 1 year of age.** *Eur J Cardiothorac Surg* 2005;28:234-239.

Van Doorn C, Carimova A, Burch M, Goldman A: **Sequential Use of Extracorporeal Membrane Oxygenation and the Berlin Heart Left Ventricular Assist Device for 106-day Bridge to Transplant in a Two-Year-Old Child.** *ASAIO J* 2005;51:668-669.



2004

Etz C, Welp H, Tjan TD, et al. **Successful Long-Term Bridge to Transplant in a 5-Year-Old Boy with the EXCOR Left Ventricular Assist Device.** *Thorac Cardiovasc Surg* 2004;52:232-234.

Laliberte E, Cecere R, Tchervenkov C, et al. **The Combined Use of Extracorporeal Life Support and the Berlin Heart Pulsatile Pediatric Ventricular Assist Device as a Bridge to Transplant in a Toddler.** *JECT* 2004;36:158-161.

Monagle P, Chan A, Massicotte P, et al. **Antithrombotic Therapy in Children: The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy.** *CHEST* 2004;126:645S-687S.

Stiller B, Lemmer J, Merkle F, et al. **Consumption of blood products during mechanical circulatory support in children: comparison between ECMO and a pulsatile ventricular assist device.** *Intensive Care Med* 2004;30:1814-1820.

Stiller B, Weng Y, Hubler M, et al. **Entwöhnung nach Herzunterstützung mit pneumatisch pulsatilem Assist Device (Berlin Heart) im Kendersalter.** *Z Herz- Thorax- Gefabchir* 18:168-175 (2004).

2003

Drews T. **Outpatients on mechanical circulatory support.** *Ann Thorac Surg* 2003;75:780-785.

Golman AP, Cassidy J, de Leval M, et al. **The waiting game: bridging to paediatric heart transplantation.** *Lancet* 2003;362:1967-1970.

Lubenow N, Selleng S, Wollert H, et al. **Heparin-Induced Thrombocytopenia and Cardiopulmonary bypass: Perioperative Argatroban Use.** *Ann Thorac Surg* 2003;75:577-9.

Merkle F, Boettcher W, Stiller B, Hetzer R. **Pulsatile Mechanical Cardiac Assistance in Pediatric Patients with the Berlin Heart Ventricular Assist Device.** *JECT* 2003;35:115-120.

Reinhartz O, et al. **Thoratec ventricular assist devices in children with less than 1.3 m² of body surface area.** *ASAIO J* 2003;49:727-730.

Stiller B, Hetzer R, Weng Y, et al. **Heart Transplantation in Children After Mechanical Circulatory Support With Pulsatile Pneumatic Assist Device.** *J Heart Lung Transplant* 2003;22:1201-1208.



2002

Antoniou T, Kapetanakis E, Theodoraki K, et al. **Cardiac Surgery in Patients with Heparin-Induced-Thrombocytopenia Using Preoperatively Determined Dosages of Iloprost.** *The Heart Surgery Forum* #2001-55335 5(4):2002

Duncan B. **Mechanical Circulatory Support for Infants and Children With Cardiac Disease.** *Ann Thorac Surg* 2002;73:1670-7.

Levi D, Marelli D, Plunkett M, et al. **Use of Assist Devices and ECMO to Bridge Pediatric Patients With Cardiomyopathy to Transplantation.** *J Heart Lung Transplant* 2002;21:760-770.

Odegard K, McGowan, Jr. F, Zurakowski D, et al. **Coagulation factor abnormalities in patients with single-ventricle physiology immediately prior to the Fontan procedure.** *Ann Thorac Surg* 2002;73:1770-1777.

Reinhartz O, Stiller B, Eilers R, Farrar DJ. **Current Clinical Status of Pulsatile Pediatric Circulatory Support.** *ASAIO J* 2002;48:455-459.

Stewart AS, et al. **Left ventricular assist device for right side assistance in patients with transposition.** *Ann Thorac Surg* 2002;74:912-914.

Throckmorton AL, Allaire PE, Gutgesell HP, et al. **Pediatric Circulatory Support Systems.** *ASAIO J* 2002;48:216-221.

2001

Drews T. **Outpatients on biventricular assist devices.** *Thorac Cardiovasc Surg* 2001;49:296-299.

Duncan B, Bohn D, Atz A, et al. **Mechanical circulatory support for the treatment of children with acute fulminant myocarditis.** *J Thorac Cardiovasc Surg* 2001;122:440-8.

Helman D, Oz Mehmet. **Developing a Comprehensive Mechanical Support Program.** *J Card Surg* 2001;16:203-208.

Koster A, Kukuchka M, Bach F, et al. **Anticoagulation during Cardiopulmonary Bypass in Patients with Heparin-induced Thrombocytopenia Type II and Renal Impairment Using Heparin and the Platelet Glycoprotein IIb-IIIa Antagonist Tirofiban.** *Anesthesiology* 2001;94:245-51.

Koster A, Loebe M, Sodian R, et al. **Heparin antibodies and thromboembolism in heparin-coated and noncoated ventricular assist devices.** *J Thorac Cardiovasc Surg.* 2001;121:331-335.

Pahl E, et al. **Death after rejection with severe hemodynamic compromise in pediatric heart transplant recipients: a multi-institutional study.** *J Heart Lung Transplant* 2001;20:279-287.



Reinhartz O, et al. **Multicenter experience with the Thoratec ventricular assist device in children and adolescents.** *J Heart Lung Transplant* 2001;20:439-448.

West LJ et al. **ABO-incompatible heart transplantation in infants.** *N Engl J Med* 2001;344:793-800.

2000

Alexi-Meskishvili V, Hetzer R, Weng Y, et al. **The Use of the Berlin Heart in Children** 2001;Book Chapter 17.

deVeber G. **Neurologic outcome in survivors of childhood arterial ischemic stroke and sinovenous thrombosis.** *J Child Neurol* 2000;15:316-324.

Drews T, Loebe M, Henning E, et al. **The 'Berlin Heart' assist device.** *Perfusion* 2000 Jul;15(4):387-96.

Ibrahim A, Duncan B, Blume E, Jonas R. **Long-term follow-up of pediatric cardiac patients requiring mechanical circulatory support.** *Ann Thorac Surg* 2000;69:186-192.

Koster A, Sanger S, Hansen R, et al. **Prevalence and persistence of heparin/platelet factor 4 antibodies in patients with heparin coated and noncoated ventricular assist devices.** *ASAIO J* 2000;46:319-322.

Schmitz C, Welz A, Dewald O, et al. **Switch From a BIVAD to a LVAD in a Boy with Kawasaki Disease.** *Ann Thorac Surg* 2000;69:1270-1271.

Tandler R, Weyand M, Schmid C, et al. **Long-Term Anticoagulation with Recombinant Hirudin in a Patient on Left Ventricular Assist Device Support.** *ASAIO J* 2000;46:792-794.

1999

Hetzer R, Loebe M, Weg Y, et al. **Pulsatile Pediatric Ventricular Assist Devices: Current Results for Bridge to Transplantation.** *Semin Thorac Cardiovasc Surg Pediatr Card Surg Ann* 1999;2:157-176.

Stiller B, Dahnert I, Weng YG, et al. **Children may survive severe myocarditis with prolonged use of biventricular assist devices.** *Heart* 1999;82:237-40.

Wiklund L, et al. **Implantation of a left ventricular assist device, back-to-front, in an adolescent with a failing mustard procedure.** *J Thorac Cardiovasc Surg* 1999;118:755-756.



1998

Hetzer R, Loebe M, Potapov EV, et al. **Circulatory Support With Pneumatic Paracorporeal Ventricular Assist Device in Infants and Children.** *Ann Thorac Surg* 1998;66:1498-1506.

1997

Alexi-Meskishvili, Hetzer R, Weng Y, et al. **Extracorporeal circulatory support in pediatric cardiac patients – The Berlin Experience.** *Mechanical Circulatory Support* 1997;pp 33-52. Steinkopff.

Glauber M, Ferrazzi. **Mechanical Circulatory Support in Pediatric Age: Experience of Bergamo.** *Mechanical Circulatory Support* 1997;pp. 53-60.

Ishino K, Loebe M, Uhlemann F, et al. **Circulatory support with paracorporeal pneumatic ventricular assist device (VAD) in infants and children.** *Eur J Cardiothorac Surg* 1997;11:965-972.

1996

Ishino D, Alexi-Meskishvili V, Weng Y, et al. **Mechanical Circulatory Support for Post Cardiectomy Cardiogenic Shock in Infants.** *ASAIO J* 1996;42:M735-M738

Razzouk AJ, et al. **Transplantation as a primary treatment for hypoplastic left heart syndrome: Intermediate-term results.** *Ann Thorac Surg* 1996;62:1-8.

1995

Uhlemann F, Stiller B, Weng Y, et al. **Temporary Circulatory Support with a Biventricular Assist System and Successful Weaning through ECMO on a 5-year-old Boy with Acute Viral Myocarditis.** *Deutsches Herzzentrum Berlin* 1995.

1991

Warnecke H, Berdjis F, Henning E, et al. **Mechanical left ventricular support as a bridge to cardiac transplantation in childhood.** *Eur J Cardiothorac Surg* 1991;5:330-333.

1990

Fontan F, et al. **Outcome after a “perfect” Fontan operation.** *Circulation* 1990;81:1520-1536.

Stein REK, et al. **Functional Status II(R): a measure of child health status.** *Med Care* 1990;28:1041-1055.